

A large, semi-transparent image of a Remington 700 rifle is positioned vertically in the background, spanning most of the page's height. The rifle is shown in a dark, monochromatic green color. The background of the entire page is a lush, green forest landscape with rolling hills and a hiker in the foreground.

Remington®

CATALOG 2024

Iconic American Ammunition

At Remington, we do things right or not at all.

Carefully engineered in our laboratories, tirelessly manufactured in our factory, Remington Ammunition is put to the test by hunters and shooters the world over. We stand behind every round.

Now in our 208th year, Remington continues our strong tradition. We're committed to conservation and to the next generation. To relentless innovation helping you make the most of every shot taken in the field or at the range. We're committed to the 2nd Amendment and to the American ideals that ignite us all.

Remington owes our storied history to a much greater narrative. One authored by men and women who risked, labored, and fought for the inalienable right to life, liberty and the pursuit of happiness.

Our mission says it best: Build Better Ammunition in America to Create Community, Power Defense and Conserve Our Heritage.

Thank You For Shooting Remington.

Remington®



CATALOG 2024

NEW PRODUCTS..... 3

AMMUNITION

RIFLE..... 9

SHOTSHELL35



HANDGUN65

RIMFIRE79

ACCESSORIES.....87

LICENSED PRODUCTS.....97


SPECIFICATIONS 107



NEW FOR 2024



PREMIER CuT
COPPER TIPPED



NEW PREMIER CuT

CUT THROUGH. NEAR OR FAR

Premier CuT's monolithic copper alloy bullet gives high accuracy and terminal performance across all hunting ranges. Maximize your aerodynamic efficiency and weight retention with optimal penetration, lead-free. Loaded with Remington's best components, Premier CuT is your new copper tipped option for ultimate precision. Available in a lineup of popular big game centerfire cartridges, including 6.5 PRC, 7 PRC and 300 PRC. Page 11.

NEW BULLETS 360 BUCKHAMMER

AMERICA'S FAVORITE NEW DEER CARTRIDGE

360 Buckhammer's taken the whitetail woods by storm. Newly available in Core-Lokt Tipped and Core-Lokt Copper, 360 BHMR brings more velocity and energy than 30-30 WIN or 350 Legend in a straight-wall package. With 360 BHMR, your deer season is Straight Up Better. Page 19.



NEW CORE-LOKT COPPER

THE DEADLIEST MUSHROOM IN THE WOODS. NOW IN ALL COPPER

The performance you know and expect from Core-Lokt, lead-free. High-strength copper projectiles and a precision hollow point ensures you dispatch deer with true Deadly Mushroom performance. Available in a line of popular big game hunting cartridges, including the hottest new round in the deer woods, 360 Buckhammer. Page 25.



NEW 22 GOLDEN HUNTER

RIMFIRE HUNTING'S GOLD STANDARD

Small game beware! Golden Hunter's plated hollow points are ready for a 22LR takedown. At home on a squirrel, rabbit, or any small game hunt, 22 Golden Hunter reliably expands for quick force transfer on target. Available in 40-grain, 100 or 550-round cartons. Page 81.

NEW RANCH HAND

YOUR RIMFIRE RIDE OR DIE

Ranch Hand stands as Remington's most reliable .22LR round to date. With our state-of-the-art .22 technology enhancements, each round delivers top-tier performance in every rimfire pistol or rifle. Whether you're engaging in small game or varmint hunting, Ranch Hand's copper-plated projectiles, available in both hollow point and round nose options, showcase our commitment to quality. Conveniently packaged in 100-round packs, Ranch Hand ensures a premier shooting experience. Yeehaw! Page 81.



NEW FOR 2024



NEW
NITRO STEEL DUPLEX

TAKE 'EM! DEADLY DUPLEX DUAL SHOT

Remington's Duplex shells are back and ready for your duck blind. Loaded with two different sizes of steel shot, Nitro-Steel Duplex gives ultimate performance near and far. Available in four 12-gauge shot combinations with more load options coming soon. Page 40.



NEW
LOW DECIBEL

BREAK CLAYS WITH LESS RECOIL AND NOISE

Remington Low Decibel is the best .410 Bore answer for shooting subsonic shotshells. With a muzzle velocity of only 550 fps, your recoil is reduced without sacrificing dense, clay-busting patterns downrange. Turn down the noise and turn up the fun with Remington Low Decibel. Available in .410 Bore, 2 3/4", 1/2oz. 9 shot 550 fps. Page 63.



NEW
NITRO PIGEON

PREMIER PIGEON PERFORMANCE

Remington Nitro Pigeon is specifically engineered to accurately take down fast-rising doves and upland game. Maximizing your shell's pattern, velocity and consistency, Nitro Pigeon's premier quality ensures fewer birds lost and more in your bag. Available in 12-gauge, 2-3/4", 1-1/4oz, 7-1/2 shot, 1230 fps. Page 47.

NEW LOAD
NITRO SPORTING CLAYS

A CHAMPIONSHIP SHELL

Specially engineered for the sporting clay enthusiast and competitor, new 12-gauge. 1oz., 7 1/2 shot, 1290 fps load available. Page 59.



NEW BULLET
PREMIER ACCUTIP MZ

DEADLY ACCURATE ACCUTIP – NOW FOR MUZZLELOADERS

Remington's Premier AccuTip MZ sabot bullets are exclusively engineered to drop big game this muzzleloader season. Using the patented PowerPort Tip, expect high ballistic coefficient, accuracy, and flat trajectories at the furthest reaches of your muzzleloader's range. Bonded 260-grain bullets hit hard and load easily. For 50 caliber traditional or modern muzzleloading rifles. Page 32.



NEW
2024 BULLET KNIFE

INTRODUCING THE WATERFOWLER

Celebrate the annual tradition of Remington's iconic Bullet Knife. Hailed as America's most collectible pocketknife, this American-Made favorite is a limited edition. Page 89.



NEW FOR 2024



NEW

CORE-LOKT HANDGUN

THE DEADLIEST MUSHROOM – HANDGUN READY

New for the 2024 hunting season, Core-Lokt Handgun lets every pistol and revolver hunter shoot the ammo that has dropped more deer than any other since 1939. Tuned for pistol-length barrels and velocities, get ready for your next whitetail, hog, or black bear excursion with Core-Lokt Handgun. Available in 357 Magnum, 41 Remington Magnum, 44 Remington Magnum, or 10MM AUTO. Page 67.



NEW

UMC LEADLESS

LEAD-FREE RANGE PERFORMANCE

Re-engineered and retooled, UMC Leadless features a new generation of improved, non-lead bullets ready for your range. New Catalyst clean priming technology eliminates lead exposure at the firing line, while copper jacketed compressed core projectiles reduce splash back from steel targets near or far. Duplicating the ballistics of conventional lead core ammunition, new UMC Leadless is available in 223 Remington and 9MM Luger. Page 78.



NEW

RIFLE HUNTING LOADS

COMING THIS SEASON

An expanded selection of centerfire rifle big game cartridges is on the horizon. Embrace hunter-approved Core-Lokt Tipped and Premier Long Range options to elevate your hunting season to new levels of lethality.

Core-Lokt Tipped: 360 Buckhammer, 7mm-08 Remington, 6.5 PRC, 7 PRC, 300 PRC. Page 21.

Premier Long Range: 6.5 PRC, 7 PRC, 300 PRC. Page 13.



NEW

REMINGTON RANGE BAGS & GUN CASES

PREMIER, FIRST IN THE FIELD, AND GUN CLUB

Designed by hunters and shooters for the range, field and blind. Remington's new accessories gets you ready to roll with a full line of gun cases, shell pouches and range bags. Built for convenience, protection and accessibility, you'd be hard pressed to find a style that doesn't suit the needs of your pistol, shotgun or rifle pursuit. Page 95.



RIFLE



- NEW PREMIER CuT**..... 11
- PREMIER LONG RANGE**..... 13
- PREMIER SCIROCCO BONDED** 14
- PREMIER ACCUTIP-V** 15
- PREMIER ACCUTIP** 16
- PREMIER MATCH** 17
- 360 BUCKHAMMER** 19
- CORE-LOKT TIPPED**..... 21
- CORE-LOKT**..... 23
- NEW CORE-LOKT COPPER**..... 25
- CORE-LOKT MANAGED RECOIL** 26
- HIGH PERFORMANCE RIFLE** 27
- UMC RIFLE** 28
- SUBSONIC RIFLE**..... 29
- ULTIMATE DEFENSE RIFLE BONDED** . 30
- MUZZLELOADER** 31
- NEW PREMIER ACCUTIP MZ** 32
- RELOADING COMPONENTS**..... 33



**CUT THROUGH.
NEAR OR FAR.**



NEW
PREMIER CuT

COPPER TIPPED TAKEDOWN

Premier CuT's monolithic copper alloy bullet gives high accuracy and terminal performance across all hunting ranges. Maximizing aerodynamic efficiency and weight retention with optimal penetration. Premier CuT is your all-copper option for great accuracy and ultimate precision.

For the 2024 hunting season, Premier CuT will be offered in a comprehensive range of big game centerfire rifle hunting cartridges, featuring new calibers such as 6.5 PRC, 7 PRC, and 300 PRC.

LEAD FREE BULLET



1 ADVANCED TIPPED TECHNOLOGY

Precision tip gives high ballistic coefficient and flat trajectories with instant expansion and energy transfer on impact


2 TOUGH COPPER ALLOY BULLET

Cuts through medium and large game with 95%+ weight retention. Optimized grooves maximize aerodynamic performance

PREMIER COPPER TIPPED

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 6.5 CREEDMOOR	RCT65CR	R22334	120	CuT
NEW 6.5 PRC	RCT65PRC	R22335	130	CuT
NEW 270 WIN	RCT270W2	R22337	140	CuT
NEW 7MM-08 REM	RCT7M081	R22339	140	CuT
NEW 7MM REM Mag	RCT7MMB	R22341	150	CuT
NEW 7 PRC	RCT7MPRC	R22342	160	CuT
NEW 30-06 SPRG	RCT3006B	R22343	150	CuT
NEW 308 WIN	RCT308WB	R22344	150	CuT
NEW 300 WIN Mag	RCT300WC	R22345	180	CuT

PRECISION PERFORMANCE



Premier CuT 7MM PRC 160 GR. .596 BC (G1) 3000 FPS

PREMIER LONG RANGE

FEATURING
SPEER IMPACT

NOW AVAILABLE: 6.5 PRC, 7PRC, 300 PRC

Previously available only to handloaders, Speer's groundbreaking Impact bullet is loaded in a full line of big game ready factory ammunition, exclusively from Remington. Tough bonded construction penetrates deep on closer targets, while the patented Slipstream tip initiates expansion at velocities 200 fps lower than standard polymer tips.

The projectile's sleek construction and tightly-tapered hybrid ogive combined with its boat-tail ensures a high ballistic coefficient and all the advantages of match-grade accuracy.

Combined with carefully selected brass, propellants and primers, Premier Long Range is ready to perform at any distance that you are.



1 SLIPSTREAM TIP

High ballistic coefficient for flat trajectory and ultimate accuracy. Helps initiate expansion at a wide range of velocities

2 SPEER IMPACT BULLET

Chemically fused bullet jacket and core designed to stop separation and impart maximum retained energy and weight impact on target

3 AERODYNAMIC DESIGN

Boat tail bullet and rear adjusted center of gravity assists truer flight and long range accuracy

4 PREMIER COMPONENTS

Highest-quality Remington primers and propellants chosen in combination for ultimate performance across spectrum of environmental conditions



PREMIER LONG RANGE						
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	VELOCITY	G7 VC	BULLET TYPE
6.5 CREEDMOOR	RLR65CR	21341	140	2715	0.273	SI
NEW 6.5 PRC	RLR65PRC	R28828	140	2975	0.262	SI
270 WIN	RLR270W	R21342	150	2850	PENDING	SI
7MM REMINGTON Magnum	RLR7MMR	21343	175	2860	0.278	SI
NEW 7MM PRC	RLR7MMPRC	R28829	175	3000	0.278	SI
30-06 SPRG	RLR3006	21344	172	2825	0.284	SI
300 WIN Mag	RLR300W	21346	190	2885	0.298	SI
NEW 300 PRC	RLR300PRC	R28830	215	2850	PENDING	SI
300 REMINGTON ULTRA Magnum	RLR300UM	21347	190	3130	0.298	SI
308 WIN	RLR308W	21345	172	2635	0.284	SI

KEY: SI = Speer Impact

For more information on ballistics, see pages 108-118.



High speed videography time lapse of ballistic gel testing shows extreme energy transfer and wound channel expansion. Premier Long Range 172 grain .308 WIN @ 200 yards shown.

PREMIER SCIROCCO BONDED

A TIPPED BULLET THAT POWERS THROUGH

Big game beware because the remarkable Scirocco bullet by Swift is coming for you. As the leader in bonded, tipped bullets, Scirocco delivers the highest ballistic coefficient, the flattest trajectory, and unsurpassed accuracy. Combined with maximum retained energy and superior weight retention, it's unquestionably the toughest polymer-tipped bullet on bucks, bulls, and boars at all ranges. Powerful performance. Ultimate accuracy. Big game won't know what hit 'em.

EXPANDS RELIABLY OVER A WIDE RANGE OF TERMINAL VELOCITIES



PREMIER SCIROCCO BONDED					
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE	
243 WIN	PRSC243WA	29320	90	SSB	
6.5 CREEDMOOR	PRSC65CR	29344	130	SSB	
270 WIN	PRSC270WA	29322	130	SSB	
7MM REMINGTON Magnum	PRSC7MMB	29316	150	SSB	
7MM REMINGTON ULTRA Magnum	PRSC7UM1	29335	150	SSB	
30-06 SPRG	PRSC3006B	29318	150	SSB	
30-06 SPRG	PRSC3006C	29328	180	SSB	
300 WSM	PRSC300WSMB	29345	180	SSB	
300 WIN Mag	PRSC300WB	29330	180	SSB	
300 REMINGTON ULTRA Magnum	PR300UM5	27950	150	SSB	
300 REMINGTON ULTRA Magnum	PR300UM3	27936	180	SSB	
308 WIN	PRSC308WB	29332	165	SSB	

KEY: SSB = Swift Scirocco Bonded

For more information on ballistics, see pages 108-118.



1 PRECISION-SHAPED POLYMER TIP

Expands reliably for lethal results

2 JACKET AND CORE BONDED TOGETHER

Features the most advanced bonded bullet design

3 SLEEK PROFILE

Delivers optimal flight and trajectory

4 BOAT TAIL BASE DESIGN

Retains initial velocity and energy downrange



180 grain Premier Scirocco Bonded bullet shot from 300 WIN Mag. showing devastating expansion and energy transfer on gel.



PREMIER ACCUTIP-V

PRECISELY THE VARMINT HUNTING BULLET OF YOUR DREAMS

Optimized to deliver superior match-grade accuracy and maximum downrange energy whenever, and wherever you need it, every time. Specially engineered for varmint hunting, AccuTip-V bullets are optimized for match-grade accuracy and explosive on-game results. At impact, its gold polymer tip is driven rearward causing the thin jacket and soft lead core to fragment violently.



PREMIER ACCUTIP-V				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
17 REMINGTON	PRA17RA	29162	20	ATV
17 REMINGTON FIREBALL	PRA17FB	29165	20	ATV
204 RUGER	PRA204A	29218	32	ATV
204 RUGER	PRA204B	29220	40	ATV, BT
22 HORNET	PRA22HNA	29154	35	ATV
221 REMINGTON FIREBALL	PRA221FB	29172	50	ATV, BT
222 REMINGTON	PRA222RB	29174	50	ATV, BT
223 REMINGTON	PRA223RB	29184	50	ATV, BT
223 REMINGTON	PRA223RC	29192	55	ATV
224 VALKYRIE	PRA224VLK	21202	60	ATV
22-250 REMINGTON	PRA2250RB	29186	50	ATV, BT
243 WIN	PRA243WB	29194	75	ATV, BT

KEY: AT = Accutip ATV = Accutip-V BT = Boat-Tail
For more information on ballistics, see pages 108-118.



- 1 POLYMER TIP**
Eliminates nose deformation
- 2 SLEEK PROFILE**
Optimizes ballistic coefficient for flat trajectory
- 3 JACKET THICKNESS**
Tuned for violent terminal performance
- 4 PREMIER COMPONENTS**
Remington's highest quality brass, propellants and primers



PREMIER ACCUTIP

THE BEST BUSHMASTER BULLET EVER BUILT

Premier AccuTip loaded in 450 Bushmaster has consistently proven its accuracy and lethality on big game, making it one of the most impactful projectiles ever conceived. Featuring the unique Remington AccuTip, this straight wall slayer is ready to take on your hunting season with accuracy and power.



- 1 PATENTED POWERPORT TIP**
Uniquely deadly tip delivers accuracy at common hunting yardages surpassing competitive 450 Bushmaster hunting ammo
- 2 ACCUTIP EXPANSION**
Precision cuts in cartridge strength brass jacket help transfers force for optimal expansion across velocities – combined with deep penetration
- 3 PRECISELY ENGINEERED BUSHMASTER BULLET**
Purpose-built bonded bullet developed for big game hunting with your 450 Bushmaster

PREMIER ACCUTIP				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
450 BUSHMASTER	PRA450B1	27943	260	AT



55 grain Premier AccuTip-V shot from 223 Remington showing quick energy transfer and penetration depth ideal for varmints.




Remington
PREMIER ACCUTIP-V / PREMIER ACCUTIP



PREMIER MATCH


ENGINEERED FOR ACCURACY
– BUILT FOR PERFORMANCE

When it comes to match-grade accuracy, Premier Match ammunition not only sets the bar, it is the bar. Using only match-grade bullets, Premier Match employs special loading practices to ensure top-tier performance and unequalled accuracy with every shot. Whether used for competition shooting or taking your range day to the next level, Premier Match is guaranteed to deliver like no other ammunition.



5 SHOTS, .6"
AT 100 YDS.

308 WIN, 168-GR. PREMIER MATCH



1 WORLD-CLASS ACCURACY

High ballistic coefficient, open-tip match grade boat-tail projectiles for the ultimate in precision on target at long ranges

2 MATCH-READY

Loaded with ultimate precision for consistent velocity, smack steel or paper in the same spot, shot-after-shot

3 PREMIER QUALITY

Remington's best propellants, primers and cases manufactured to tight tolerances for reliability at competition or practice

PREMIER MATCH

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	VELOCITY	G7 VC	BULLET TYPE
223 REMINGTON	RM223R1	27680	69	3000	0.301	MatchKing BTHP
223 REMINGTON	RM223R3	27686	77	2790	0.362	MatchKing BTHP
223 REMINGTON	R223R6	22106	62	3025	REM Bullet	HP, Match
223 REMINGTON	RM223R2R	27682	52	3200	0.225	OTM BTHP
224 VALKYRIE	RM224VLK	21201	90	2700	0.563	MatchKing
6MM CREEDMOOR	RM5CRD	20001	107	3000	0.547	MatchKing BTHP
6.5 CREEDMOOR	RM65CRD	27661	140	TBD	TBD	MatchKing BTHP
6.5 GRENDL	RM65GDL	21205	130	2400	0.584	Berger OTM
6.5 PRC	RM65PRC01L	27673	140	TBD	TBD	Berger OTM
260 REMINGTON	RM260R1	27661	140	TBD	TBD	OTM BTHP
6.8 REMINGTON SPC	RM68R1	27676	115	2625	0.324	MatchKing BTHP
300 AAC BLACKOUT	RM300AAC6	21503	125	2215	0.338	MatchKing
308 WIN	RM308W8	21486	175	2610	0.496	MatchKing BTHP
308 WIN	RM308W7	21485	168	2680	0.462	MatchKing BTHP

For more information on ballistics, see pages 108-118.



NEW



360 BUCKHAMMER

AMERICA'S FAVORITE NEW DEER CARTRIDGE

Remington 360 Buckhammer hammers critters and outperforms the competition. It delivers flat trajectories, boasting more bone-busting energy and velocity up to 200 yards compared to the 350 Legend or the venerable 30-30 WIN. The 360 BHMR flattens big game with precision. Accurate, deadly, and easy to shoot, the 360 Buckhammer stands as the Straight Up Better straight wall cartridge.

Coming 2024 new 360 BHMR ammo offerings in Remington's award-winning Core-Lokt Tipped and Core-Lokt Copper.

With a variety of firearm options available from numerous manufacturers, inquire with your dealer about acquiring a Buckhammer gun today.



THE STRAIGHT WALL CARTRIDGE THAT FLATTENS THEM ALL


- ▲ **BETTER THAN 350 LEGEND OR 30-30 WIN**
More velocity and energy - with less drop - and comparative recoil to competitive straight wall cartridges
- ▲ **ULTIMATE STRAIGHT WALL CARTRIDGE OPTIMIZED FOR LEVER ACTION RIFLES**
- ▲ **ACCURATE AT 200+ YARDS**
- ▲ **EASY TO SHOOT, LOW RECOIL**
- ▲ **MASSIVE .358 DIAMETER BULLETS**
Delivering brush-busting, deadly results on-game.
- ▲ **AVAILABLE IN CORE-LOKT, CORE-LOKT TIPPED AND CORE-LOKT COPPER**

360 BUCKHAMMER				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
360 BUCKHAMMER	R360BH4	R27742	180	CoreLokt SP
360 BUCKHAMMER	R360BH2	R27743	200	CoreLokt SP
NEW 360 BUCKHAMMER	RCC360BH3	R20061	TBD	CoreLokt Copper
NEW 360 BUCKHAMMER	TBD	TBD	180	CLT

KEY: SP = Soft Point; CLT = Core-Lokt Tipped
For more information on ballistics, see pages 108-118.



- 1 ACCURATE 200 YARDS+**
Velocity, energy and drop – optimized across common hunting ranges
- 2 CORE-LOKT PERFORMANCE**
High-weight retention, controlled expansion .358 diameter Core-Lokt, Core-Lokt Tipped & Core-Lokt Copper bullets
- 3 REMINGTON COMPONENTS**
Reliable Remington brass, propellant, & primers carefully loaded
- 4 ULTIMATE STRAIGHT WALL CARTRIDGE**
360 BHMR optimized for lever action rifles. Easy to shoot, low recoil




- **ALLOWS STRAIGHT WALL CARTRIDGE DEER HUNTING** *Asterisk indicates single shot rifles only
- **NO STRAIGHT WALL CARTRIDGE DEER HUNTING ALLOWED**

DISCLAIMER: THIS GRAPHIC SHOULD BE USED FOR GENERAL GUIDANCE ONLY. CONSULT YOUR STATE FISH AND GAME AGENCY'S RULES AND REGULATIONS FOR CURRENT AND CORRECT INFORMATION

CORE-LOKT

THE DEADLIEST MUSHROOM IN THE WOODS.

High-weight retention & controlled expansion Core-Lokt bullets make 360 BHMR deadly on game and a perfect fit in your deer camp.



THE DEADLIEST MUSHROOM. NOW EVEN DEADLIER.



CORE-LOKT TIPPED

NOW AVAILABLE: 360 BUCKHAMMER, 7MM-08 REMINGTON, 6.5 PRC, 7 PRC, 300 PRC

Core-Lokt Tipped has earned hunter approval, with the development of thousands of rounds and millions of rounds sold. It undeniably lives up to the legacy of The Deadliest Mushroom in the Woods. With a track record of proven on-game performance, enhanced accuracy, and extended long-range potential, this iconic ammunition has become even more renowned. Core-Lokt Tipped seamlessly integrates truer flight, flatter trajectories, and devastating terminal energy, making it the consistent choice for serious hunters worldwide.

As we step into 2024, gear up for an even more formidable hunting experience with the deadly Core-Lokt Tipped. Explore our latest cartridge offerings, featuring the 360 Buckhammer, 7mm-08 Remington, 6.5 PRC, 7 PRC, and 300 PRC to elevate your next hunt to new heights.



1 BIG GREEN POLYMER TIP

Improves long-range ballistics, in-flight accuracy, and initiates rapid expansion

2 PROVEN CORE-LOKT JACKET

Tuned for optimal performance on big game

3 MATCH-GRADE ACCURACY

Rear-adjusted center of gravity and boat-tail design maximize accuracy

4 PREMIER BRASS

Factory fresh brass built to the highest of standards

5 ADVANCED PROPELLANTS

Carefully chosen propellants for a clean burn and utmost accuracy

6 REMINGTON PRIMER

Steady and consistent ignition when it matters most

CORE-LOKT TIPPED

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
243 WIN	RT243WA	29015	95	CLT
6.5 CREEDMOOR	RT65CR1	29017	129	CLT
270 WIN	RT270WA	29019	130	CLT
280 REMINGTON	RT280RA	29020	140	CLT
7MM REM Mag	RT7MMRB	29021	150	CLT
30-06 SPRG	RT3006A	29027	150	CLT
30-06 SPRG	RT3006B	29035	165	CLT
30-06 SPRG	RT3006C	29037	180	CLT
300 WIN Mag	RT300WC	R29038	180	CLT
308 WIN	RT308WA	29039	150	CLT
308 WIN	RT308WB	29044	165	CLT
308 WIN	RT308WC	29041	180	CLT
300 WSM	RT300WSM1	29043	150	CLT
NEW 360 BHRM	TBD	TBD	180	CLT
NEW 7MM-08 REM	RT7M081	R20039	140	CLT
NEW 6.5 PRC	RT65PRC	R20043	140	CLT
NEW 7 PRC	RT7MMPRC	R20045	175	CLT
NEW 300 PRC	RT300PRC	R20047	210	CLT

KEY: CLT = Core-Lokt Tipped
For more information on ballistics, see pages 108-118.



180 grain Core-Lokt Tipped bullet shot from 300 WIN. Mag. shows extreme energy transfer and optimal penetration at 200 yards.

CORE-LOKT

RULING THE WOODS FOR OVER 80 YEARS

Since 1939, Core-Lokt has been a whitetail's greastest adversary. As America's original controlled expansion bullet, it's filled more tags on more continents than any other load. Core-Lokt's tapered copper jacket is locked to a solid lead core to deliver massive 2X expansion, weight retention, and consistent on-game results. No matter your cartridge, grain weight or game of choice, Core-Lokt has a bullet option for you. Core-Lokt has ruled the woods for over 80 years. The buck stops here.



1 SOFT POINT SHAPE

Provides broad frontal area for high-energy impact and rapid expansion

2 SPITZER PROFILE

For improved velocity and flatter trajectory

3 BULLET CORE "LOKT" IN PLACE

To provide deep penetration


4 JACKET DESIGNED FOR PROGRESSIVE, RELIABLE EXPANSION

To almost twice the original diameter



CORE-LOKT SOFT POINT

CORE-LOKT POINTED SOFT POINT



AMERICA'S LARGEST ASSORTMENT OF HUNTING CARTRIDGES

Core-Lokt has more cartridge, caliber, and grain weight options than any other line of hunting ammo. No wonder so many hunters choose Core-Lokt every fall.

MAKING THE MUSHROOM

From the brass cup that becomes Core-Lokt's famous jacket to the carefully cut lead that becomes the hard-driving core, Core-Lokt's proven performance has been proudly made in Remington's Lonoke, Arkansas factory since 1969.



CORE-LOKT POINTED SOFT POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
223 REMINGTON	R223R8	22111	62	PSP, UB
6MM CREEDMOOR	R6CM01	29049	100	PSP
6MM REMINGTON	R6MM4	29051	100	PSP
243 WIN	R243W3	27802	100	PSP
25-06 REMINGTON	R25062	21507	100	PSP
25-06 REMINGTON	R25063	21515	120	PSP
25-20 WIN	R25202	28364	86	PSP
250 SAV	R250SV	29077	100	PSP
257 ROBERTS	R257	28335	117	PSP
6.5 X 55 SWEDISH	R65SWE1	29140	140	PSP
6.5 CREEDMOOR	R65CR1	27657	140	PSP
260 REMINGTON	R260R1	21292	140	PSP
264 WIN Mag	R264W2	29493	140	PSP
270 WIN	R270W1	21325	100	PSP
270 WIN	R260W2	27808	130	PSP
270 WSM	R270WSM1	28940	130	PSP
280 REMINGTON	R280R3	28313	140	PSP
280 REMINGTON	R280R1	29069	150	PSP
7MM-08 REMINGTON	R7M081	21337	140	PSP
7MM REMINGTON Mag	R7MM4	28821	140	PSP
7MM REMINGTON Mag	R7MM2	29487	150	PSP
7MM REMINGTON Mag	R7MM3	27814	175	PSP
7MM MAUSER (7X57)	R7MSR1	29031	140	PSP
7MM REMINGTON SA UM	PR7SM2	27874	150	PSP
7MM REMINGTON UM	R7RUM01	27759	150	PSP
7 X 64 BRENEKE	R7X641	29130	140	PSP
30-40 KRAG	R30402	28345	180	PSP
30-06 SPRG	R30061	21401	125	PSP
30-06 SPRG	R30062	27826	150	PSP
30-06 SPRG	R3006B	21415	165	PSP
30-06 SPRG	R30065	27828	180	PSP
300 SAVAGE	R30SV2	21465	150	PSP
300 WIN Mag	R300W1	29495	150	PSP
300 WIN Mag	R300W2	29497	180	PSP
450 BUSHMASTER	R450B1	27941	260	PSP
300 WSM	R300WSM1	29489	150	PSP
308 MARLIN EXPRESS	R308ME1	27848	150	PSP
308 WIN	R308W1	27842	150	PSP
308 WIN	R308W3	21479	180	PSP
300 WEATHERBY Mag	R300WB1	29279	180	PSP
7.62 X 39MM	R762391	29125	125	PSP

CORE-LOKT POINTED SOFT POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
300 REMINGTON SA UM	PR300SM2	27954	165	PSP
300 REMINGTON UM	R300RUM01	27641	180	PSP
30 REMINGTON AR	R30RAR2	29485	150	PSP
338 REMINGTON UM	PR338UM2	27942	250	PSP
338 WIN Mag	R338W1	22189	225	PSP
338 WIN Mag	R338W2	22191	250	PSP
35 REMINGTON	R35R1	21491	150	PSP
35 WHELEN	R35WH1	21495	200	PSP

CORE-LOKT SOFT POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
270 WIN	R270W4	27810	150	SP
280 REMINGTON	R280R2	28417	165	SP
30 CARBINE	R30CAR	28322	110	SP
30-30 WIN	R30301	27818	150	SP
30-30 WIN	R30302	27820	170	SP
30-30 WIN	RL30301	27644	125	SP
30-06 SPRG	R30064	21407	180	SP
30-06 SPRG	R30067	27830	220	SP
308 WIN	R308W2	27844	180	SP
303 BRITISH	R303B1	21471	180	SP
32 WIN SPECIAL	R32WS2	21489	170	SP
35 REMINGTON	R35R2	27852	200	SP
350 LEGEND	R350L1	20012	180	SP
444 MARLIN	R444M	29475	240	SP
45-70 GOV (FP)	R4570G1	21459	405	SP
45-70 GOV (RP)	R4570G	29473	405	SP
360 BUCKHAMMER	R360BH4	R27742	180	SP
360 BUCKHAMMER	R360BH2	R27743	200	SP

CORE-LOKT HOLLOW POINT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
30-30 WIN	R30303	21395	170	HP

KEY: PSP = Pointed Soft Point SP = Soft Point UB = Ultra Bonded HP = Hollow Point SA = Short Action UM = Ultra Magnum FP = Full Pressure RP = Reduced Pressure For more information on ballistics, see pages 108-118.

CORE-LOKT TIPPED

THE DEADLIEST MUSHROOM'S GONE LONG RANGE. PAGES 21-22

Haven't you heard? Core-Lokt Tipped takes this classic hunting ammo even farther.



LEAD FREE BULLET

NEW

CORE-LOKT COPPER

THE DEADLIEST MUSHROOM IN THE WOODS. NOW IN ALL COPPER

The performance you know and expect from Core-Lokt, in a lead-free bullet. Deadly dependable expansion, weight retention, and drop-dead accuracy all combine to maximize your hunt. Rigid construction from a high-strength copper alloy ensures Core-Lokt Copper's monometal bullet dispatches big game.



- 1 ACCURATE MONOMETAL BULLET**
All-copper projectile made from high-strength alloy
- 2 CORE-LOKT LEVEL PERFORMANCE**
Precision hollow point for consistently deadly expansion and penetration on big game, across a wide range of velocities
- 3 TRUSTED QUALITY COMPONENTS**
Reliable brass, propellants and precision loading techniques for consistency
- 4 LEAD-FREE AMMUNITION**
Available to hunt with in areas requiring the use of non-lead ammunition, without sacrificing the performance of traditional ammo

CORE-LOKT COPPER				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 30-06 SPRG	RCC30062	R27853	150	Core-Lokt Copper HP
NEW 308 WIN	RCC308W1	R27854	150	Core-Lokt Copper HP
NEW 270 WIN	RCC270W2	R27855	130	Core-Lokt Copper HP
NEW 243 WIN	RCC243W1	R27856	85	Core-Lokt Copper HP
NEW 300 AAC Blackout	RCC300AAC1	R27857	120	Core-Lokt Copper HP
NEW 300 WIN Mag	RCC300W2	R27858	180	Core-Lokt Copper HP
NEW 360 BUCKHAMMER	RCC360BH3	R20061	160	Core-Lokt Copper HP

For more information on ballistics, see pages 108-118.



150 grain Core-Lokt Copper shot from 30-06 SPRG shows the Core-Lokt penetration and energy transfer on target you trust.



CORE-LOKT MANAGED-RECOIL

HALF THE RECOIL - TWICE THE CONFIDENCE

For years, shooters sought a low-recoil load, often by reducing gunpowder. However, this compromised bullet expansion and on-game performance. The gap between low recoil and effective hunting performance seemed insurmountable until now. Managed-Recoil Centerfire Ammunition provides Remington's trusted hunting performance up to 200 yards with half the recoil. How? Through a specialized bullet designed for lower velocity, ensuring 2X expansion with over 75% weight retention within 50 to 200 yards. The result is high-performance, Remington-quality ammunition with just half the felt recoil you expect.

CORE-LOKT MANAGED-RECOIL				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
30-30 WIN	RL30301	27644	125	Core-Lokt Soft Point

For more information on ballistics, see pages 108-118.

HIGH PERFORMANCE RIFLE

A BULLET FOR EVERY PASSION

Assembled with high quality components honed to ultra-tight tolerances, our High Performance Rifle series more than lives up to its name. And it's available in a wide range of calibers, bullet weights and styles. In the field, forest or at the range, there's a Remington High Performance Rifle round tailor-made to match any pursuit and honor Remington's proud heritage of innovative rifle ammunition.

HIGH PERFORMANCE RIFLE				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
17 REMINGTON	R17R2	28460	25	HP
22 HORNET	R22HN1	28376	45	PSP
220 SWIFT	R220S1	21297	50	PSP
222 REMINGTON	R222R1	21303	50	PSP
223 REMINGTON	R223R1	28399	55	PSP
22-250 REMINGTON	R22501	21311	55	PSP
243 WIN	R243W1	27800	80	PSP
32-20 WIN	R32201	28410	100	Lead
35 WHELEN	R35WH3	21499	250	PSP
308 WIN	R308W4	R21473	180	PSP
375 H&H Mag	R375M1	29097	270	SP
375 REMINGTON ULTRA Mag	PR375UM2	29340	270	SP
45-70 GOVT (FULL PRESSURE)	R4570L1	21463	300	SJHP

1 WIDE PROJECTILE ASSORTMENT

Choose the bullet right for you. 6 bullet types available

2 ULTRA-TIGHT TOLERANCES

Meticulous quality control for reliable feed, function, fire and accuracy downrange

3 QUALITY COMPONENTS

Factory fresh reloadable brass, carefully selected propellants, and Remington-made



180 grain High Performance Rifle bullet shot from 308 WIN shows high quality terminal performance



1 ANY CARTRIDGE - ANY BULLET

Wide variety of cartridge and bullet styles available in the most popular rifle and pistol caliber carbine chamberings.

2 UMC STRONG

For over 150 years, Union Metallic Cartridge Company has proudly manufactured quality ammo here in America

UMC RIFLE

AMERICAN PRIDE MEETS REMINGTON PERFORMANCE

Value-priced for high-volume shooting, Remington UMC centerfire rifle ammunition is made right here in the USA and available in popular cartridges, including the 308 WIN, 300 AAC Blackout and 224 Valkyrie. And for all the varmint hunters out there, the 45- and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are ready to deliver. More performance. More value. It's a win-win situation.



BULK PACKS AVAILABLE

UMC RIFLE					
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	ROUNDS PER BOX	BULLET TYPE
223 REMINGTON	L223R3	23711	55	20	FMJ
223 REMINGTON	L223R7	23748	45	20	JHP
223 REMINGTON	L223R8	23812	50	20	JHP
22-250 REMINGTON	L22503	23750	45	20	JHP
22-250 REMINGTON	L22504	23813	50	20	JHP
224 VALKYRIE	L224VLK	21203	75	20	FMJ
30 CARBINE	L30CR1	23712	110	50	FMJ
6.8MM REMINGTON SPC	L68R2	24035	115	20	FMJ
308 WIN	L308W4	23715	150	20	FMJ
30-06 SPRG	L30062	23699	150	20	FMJ
300 AAC BLACKOUT	L300AAC1	21421	120	20	OTFB
300 AAC BLACKOUT	L300AAC2	26854	150	20	FMJ
303 BRITISH	L303B1	23701	174	20	FMJ
300 AAC BLACKOUT	L300AAC4	21422	220	20	OTFB
450 BUSHMASTER	L450BM1	23661	260	20	FMJ
22-250 REMINGTON	L22503B	23769	45	40	JHP
22-250 REMINGTON	L22504B	23783	50	40	JHP
308 WIN	L308W4B	R23971	150	40	FMJ
223 REMINGTON	L223R7V	23906	45	50	JHP
223 REMINGTON	L223R8V	23908	50	50	JHP
223 REMINGTON	L223R3V	23966	55	50	FMJ
223 REMINGTON	L223R3A	23775	45	200	JHP
223 REMINGTON	L223R7A	23683	55	200	FMJ
223 REMINGTON	L223R3BC	23897	55	300	FMJ
300 AAC BLACKOUT	L300AAC2V	26855	150	50	FMJ
300 AAC BLACKOUT	L300AAC4V	24026	220	50	OTFB
300 AAC BLACKOUT	L300AAC2BP	20107	150	200	FMJ
300 AAC BLACKOUT	L300AAC4BP	20109	220	200	OTFB
223 REMINGTON	L223R3BP	23895	55	1000	FMJ
308 WIN	L30W4B	R23971	150	40	FMJ

KEY: FMJ = Full Metal Jacket JHP = Jacketed Hollow Point OTFB = Open Tip Flat Base
For more information on ballistics, see pages 108-118.





SUBSONIC RIFLE

BREAKTHROUGH ACCURACY THAT NEVER BREAKS THE SOUND BARRIER

Remington Subsonic is engineered for optimal performance when paired with a suppressor. Loaded with premier components under stringent quality controls, this load delivers consistent, subsonic velocity to prevent supersonic cracks. Full profile full metal jacket bullets with an open tip and flat base help reduce lead build up in your suppressor.

1 ON TARGET OR VARMINT



Open tip flat base bullets are accurate at common 300 Blackout ranges with moderate expansion. Bullet helps eliminate lead buildup in your suppressor

2 SUBSONIC VELOCITY

Propellant mix prevents supersonic cracks with minimal muzzle flash and consistent velocities

3 PREMIER QUALITY

Remington's best components combined with tight manufacturing controls



- Legal to own a suppressor
- Illegal to own a suppressor
- R Legal to hunt with a suppressor

DISCLAIMER: INDIVIDUAL STATE LAWS WILL VARY. PLEASE CONSULT A LAWYER BEFORE ATTEMPTING TO PURCHASE A SUPPRESSOR. THIS GRAPHIC SHOULD BE USED FOR GENERAL GUIDANCE ONLY. ALWAYS CHECK YOUR LOCAL REGULATIONS.

SUBSONIC RIFLE

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
300 AAC BLACKOUT	S300AAC4	28430	220	Open Tip, Flat Base

For more information on ballistics, see pages 108-118.



ULTIMATE DEFENSE RIFLE BONDED

MAXIMIZE YOUR AR15'S POWER TO DEFEND

Experience world-class accuracy and the dependable controlled expansion you've come to expect from a bonded bullet, specifically designed to enhance your personal defense preparedness. The Ultimate Defense Rifle Bonded centerfire ammunition is meticulously crafted to deliver unparalleled performance. These bullets provide absolute reliability, offering peace of mind in every situation where it matters most. Elevate your personal defense to a new level with the assurance of unmatched precision and reliability.



1 PROGRESSIVELY TAPERED JACKET

Sleek profile for accurate results at common defensive distances

2 CORE-LOKT ULTRA BONDED JACKET

Bullet core and jacket metalurgically bonded together producing a tough projectile

3 FLASH SUPPRESSED PROPELLANT

Reduced muzzle flash in low-light conditions

4 PREMIER COMPONENTS

Remington's best primers and cases for ultimate reliability

ULTIMATE DEFENSE RIFLE BONDED

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
223 REMINGTON	RD223R4	22107	62	Core-Lokt Ultra Bonded

For more information on ballistics, see pages 108-118.



ULTIMATE MUZZLELOADER PRE-PRIMED CASES

BOLT-ACTION CENTERFIRE SIMPLICITY

Engineered exclusively for the Ultimate Muzzleloader, pre-primed cases load with the ease of any centerfire. Super-hot magnum primers ignite up to 200-grain loads with near smokeless efficiency. The flash channel stays clean and ready for the next load and there's no need to remove the breech plug for cleanup.



Buy Today
Remington.com

ULTIMATE MUZZLELOADER IGNITION SYSTEM		
ORDER NO.	INDEX NO.	DESCRIPTION
24153	RPCUML	Ultimate Muzzleloader Ignition System

REMINGTON PERCUSSION CAPS		
ORDER NO.	INDEX NO.	DESCRIPTION
22617	X22617	#10 Percussion Cap
22619	X22619	#11 Percussion Cap

YOUR MUZZLELOADER'S ULTIMATE PERFORMANCE ADVANTAGE.



UNLEASH ULTRA MAGNUM LOADS

With a dependable and durable design made of primed centerfire brass, the UML Ignition System handles 200-grain magnum charges, resulting in lethal 300-yard performance. For maximum burn and efficiency, use up to four (4) Hodgdon Triple Seven 50 grain pellets to safely achieve 2,400 fps (muzzle) in the Remington Ultimate Muzzleloader.

Do not load your muzzleloader in a way that is not prescribed by its owner's manual.

NEW

PREMIER ACCUTIP MZ

DEADLY ACCURATE ACCUTIP - NOW FOR MUZZLELOADERS

Remington introduces the cutting-edge Premier AccuTip MZ sabot bullets, meticulously crafted for unparalleled performance during this muzzleloader season. Engineered exclusively for dropping big game, these bullets feature the patented PowerPort Tip, ensuring a remarkable combination of high ballistic coefficient, accuracy, and flat trajectories even at the extreme distances of your muzzleloader's range. The bonded 260-grain bullets deliver powerful impact and easy loading, making them suitable for both 50 caliber traditional and modern muzzleloading rifles.



- 1 POWERPORT TIP**
Accurate, precise, consistent accuracy. Same proven technology as Remington's popular Premier AccuTip Slug.
- 2 HIGH STRENGTH BONDED JACKET**
Made from hard-hitting cartridge brass, bonded projectile penetrates deep, with 97%+ weight retention and over 100% expansion at 200 yards.
- 3 EASY LOAD SABOT**
Easily seat your projectile, even with a fouled barrel. Ideal for quick follow up shots.
- 4 TESTED AND PROVEN**
Deadly accurate with all leading muzzleloading propellants and black powder substitutes.


PREMIER ACCUTIP MZ				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 50 CALIBER	RBMLR2B	R20179	260	Accutip

For more information on ballistics, see pages 108-118.

PREMIER ACCUTIP MZ

MUZZLELOADING SABOT BULLETS

FOOT POUNDS OF ENERGY



RELOADING COMPONENTS

SUPERIORITY DOWNRANGE BEGINS WITH REMINGTON AT YOUR BENCH

From first-quality brass, to bullets and wads precision-engineered to the highest standards, to the industry's most advanced primers and percussion caps—Remington components give you the edge to develop your best loads for your favorite pursuit. So whether you're at the range, on the sporting clays course or in the field, they just might turn your good day into a perfect one.



BULLETS

Delivering unmatched precision in the most popular bullet styles and weights, ready to be tailored for your favorite pursuits. Remington Bullets. For the hunt, for the range and wherever shot-to-shot consistency matters most.

PISTOL & REVOLVER BULLETS

ORDER NO.	INDEX NO.	CALIBER	NOMINAL BULLET DIAMETER	BULLET WT. (GR.)	BULLET STYLE
23547	RB9MM3	9MM	.355	115	FMJ
23545	RB9MM6	9MM	.355	115	JHP
23549	RB9MM2	9MM	.355	124	FMJ
23551	RB9MM8	9MM	.355	147	JHP
23566	RB380AP	380	.356	95	FMJ
23568	RB38S11	357/38	.357	130	FMJ
23570	RB357M7	357/38	.357	110	SJHP
23572	RB357M1	357/38	.357	125	SJHP
23574	RB357M2	357/38	.357	158	SJHP
23580	RB40SW1	40/10MM	.400	155	JHP
23584	RB40SW3	40/10MM	.400	180	FMJ
23586	RB40SW5	40/10MM	.400	180	FNEB
23582	RB40SW2	40/10MM	.400	180	JHP
23663	RB41MG1	41	.410	200	SJHP
23665	RB44MG6	44	.429	210	SJHP
23667	RB44MG3	44	.429	240	SJHP
23605	RB45AP4	45	.451	230	FMJ
23609	RB45AP7	45	.451	230	JHP

RIFLE BULLETS

ORDER NO.	INDEX NO.	CALIBER	NOMINAL BULLET DIAMETER	BULLET WT. (GR.)	BULLET STYLE
22920	B2432	24/6MM	.243	100	PSPCL
22733	B2571	25	.257	100	PSPCL
22756	B2842	28	.284	150	PSPCL
22788	B3083	30	.308	180	PSPCL
22772	B30301	30	.308	150	SPCL
22958	RB2242	22	.224	50	PSP
22962	RB2244	22	.224	55	FMJ
22960	RB2243	22	.224	55	PSP
22968	RB2247	22	.224	62	HP MATCH
22930	RB2432	24/6MM	.243	80	PSP
22742	RB682	27/6.8	.277	115	FMJ
22778	RB3085	30	.308	150	FMJ
22814	RB303B	30	.303	180	SPCL
22992	RB4571	45	.457	300	SJHP



BRASS

Its consistency in every dimension translates directly to every target downrange. Choose Remington brass, available in most popular chamberings.



HANDGUN BRASS

ORDER NO.	INDEX NO.	CARTRIDGE
22503	RC357MG	357 Magnum
23202	RC357X	357 Remington Maximum
22522	RC9MM	9mm Luger
22509	RC38AS	38 Super Auto +P*
22511	RC38SP	38 Special
22524	RC40SW	40 S&W
22528	RC41RA	41 Remington Magnum
22517	RC44RA	44 Remington Magnum
22519	RC44SW	44 S&W
22495	RC45C	45 Colt
22527	RC45A	45 Auto

RIFLE BRASS

ORDER NO.	INDEX NO.	CARTRIDGE
22422	RC17FB	17 Remington Fireball
22398	RC17R	17 Remington
22414	RC204R	204 Ruger
22400	RC22H	22 Hornet



SHOTSHELL RELOADING

Primer to payload, you won't find more reliable, more consistent, more widely available components in the quantities and offerings you need.

SHOTSHELL WADS - TARGET - POWER PISTON 1-PIECE

ORDER NO.	INDEX NO.	GAUGE / BORE	OUNCES OF SHOT
24342	FIG8S	12 GAUGE	1-1/8 OZ
24346	TGT12S	12 GAUGE	1 OZ, 1-1/8 OZ
24338	RXP12	12 GAUGE	1-1/8 OZ
24344	RXP20	20 GAUGE	7/8 OZ
24362	PT28S	28 GAUGE	3/4 OZ
24352	SP410	410 BORE	1/2 OZ

SHOTSHELL WADS - HUNTING - POWER PISTON 1-PIECE

ORDER NO.	INDEX NO.	GAUGE	OUNCES OF SHOT
26656	SP10	10 GAUGE	1-5/8 TO 2-1/4 OZ
29922	R12L	12 GAUGE	1 OZ
29924	R12H	12 GAUGE	1-1/8 OZ
29926	RP12	12 GAUGE	1-1/4 OZ
29928	SP12	12 GAUGE	1-1/4 OZ
29934	SP16	16 GAUGE	1-1/8 OZ
24378	SP20S	20 GAUGE	1 OZ

RIFLE BRASS (CONT'D)

ORDER NO.	INDEX NO.	CARTRIDGE
22404	RC221FB	221 Fireball
22406	RC222R	222 Remington
22408	RC223R	223 Remington
22410	RC2250R	22-250 Remington
22402	RC220S	220 Swift
23016	RC243W	243 WIN
23086	RC6MMR	6mm Remington
23154	RC6MMCM	6mm Creedmoor
23020	RC2506R	25-06 Remington
23018	RC2520W	25-20 WIN
23024	RC257R	257 Roberts
23156	RC65CM	6.5 Creedmoor
23062	RC65S	6.5 x 55 Swedish Mauser
22830	RC260R	260 Remington
23054	RC68SPCR	6.8 Remington SPC
22834	RC270W	270 WIN
23226	RC270WSM	270 WSM
22858	RC280R	280 Remington
22860	RC7M08R	7mm-08 Remington
22864	RC7MMG	7mm Remington Magnum
22868	RC7MMRS	7mm Remington Short Action Ultra Magnum
22870	RC7MMRA	7mm Remington Ultra Magnum
23158	RC300AACBLK	300 AAC Blackout
23032	RC3030W	30-30 WIN
23036	RC3006	30-06 Sprg
23204	RC300WSM	300 WSM
22876	RC300WM	300 WIN Mag
22872	RC300RS	300 Remington Short Action Ultra Magnum
22874	RC300RA	300 Remington Ultra Magnum
22878	RC303B	303 British
23044	RC308W	308 WIN
22880	RC8MSR	8mm Mauser
22882	RC8MMG	8mm Remington Magnum
22896	RC338WM	338 WIN Mag
22898	RC338RA	338 Remington Ultra Magnum
22902	RC350R	350 Remington Magnum
22904	RC35WH	35 Whelen
22910	RC375H	375 H&H Magnum
22912	RC375RA	375 Remington Ultra Magnum
23066	RC4440W	44-40 WIN
23069	RC4570G	45-70 Govt.

CENTERFIRE PRIMERS

ORDER NO.	INDEX NO.	CARTRIDGE
22600	X22600	1-1/2 SMALL PISTOL PRIMER
22604	X22604	2-1/2 LARGE PISTOL PRIMER
22626	X22626	5-1/2 SMALL PISTOL PRIMER
22606	X22606	6-1/2 SMALL RIFLE PRIMER
22628	X22628	7-1/2 SMALL RIFLE PRIMER BR
22608	X22608	9-1/2 LARGE RIFLE PRIMER
22622	X22622	9-1/2M MAGNUM RIFLE PRIMER*

SHOTSHELL PRIMERS - TARGET / HUNTING

ORDER NO.	INDEX NO.	DESCRIPTION
22661	209PSTS	209 PREMIER STS

SHOTSHELL PRIMERS - CLAMPACK

ORDER NO.	INDEX NO.	DESCRIPTION
23996	209PSTSB	209 PREMIER STS CLAMPACK
23990	209ML	MUZZLELOADING 209 PRIMER

* Use to reload Ultimate Muzzleloader cases
For the complete line of components, please visit www.remington.com/handloading

SHOTSHELL



- PREMIER BISMUTH37*
- WINGMASTER HD.....38*
- HYPERSONIC STEEL39*
- NEW** NITRO STEEL DUPLEX 40*
- NITRO STEEL.....41*
- SPORTSMAN HI-SPEED STEEL.....42*
- PREMIER TSS43*
- PREMIER MAGNUM TURKEY45*
- NITRO TURKEY46*
- NEW** NITRO PIGEON.....47*
- NITRO PHEASANT / EXPRESS XLR....48*
- PHEASANT / GAME LOADS.....49*
- BUCKSHOT 51*
- PREMIER ACCUTIP SABOT SLUG.....53*
- SLUGGER RIFLED SLUGS.....55*
- PREMIER STS 57*
- TEAM REMINGTON.....58*
- PREMIER NITRO SPORTING CLAYS /
PREMIER NITRO 2759*
- GUN CLUB 61*
- NEW** LOW DECIBEL63*
- PETER'S PREMIER64*

NEW NITRO-STEEL DUPLEX

NEW NEW PREMIER NITRO SPORTING CLAYS



PREMIER BISMUTH

FEATURING HEVI BISMUTH™

HEAVYWEIGHT SUPREMACY

Out-performing steel, HEVI BISMUTH's dense shot flies farther with more retained energy, giving you deadly performance at greater distances. HEVI BISMUTH's density makes smaller shot sizes viable, resulting in more pellets per payload, more shot on target, and more mornings hitting your bag limit.

Rolling prairie or flooded timber, Premier Bismuth is equally effective on upland game or waterfowl, making this your shotshell for any season.

ALLOYED AND CAST IN THE USA
BY AMERICAN WORKERS



▲ 22% DENSER THAN STEEL

Hits just like lead with 44% more downrange energy

▲ ALL-SEASON LOAD

For waterfowl or upland hunts

▲ HEVI BISMUTH

Proudly alloyed and cast in the USA

▲ SAFE TO SHOOT

in vintage barrels

▲ NON-LEAD

9.64g/cc density



Premier Bismuth hits with about the same density as lead.

PREMIER BISMUTH						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
RHB12S2	R20503	12	2-3/4"	1400	1-1/4	2
RHB12S5	R20505	12	2-3/4"	1400	1-1/4	5
RHB12M2	R20500	12	3"	1400	1-3/8	2
RHB12M5	R20501	12	3"	1400	1-3/8	5
RHB16M4	R20511	16	2-3/4"	1300	1-1/8	4
RHB20S5	R20509	20	2-3/4"	1300	1	5
RHB20M2	R20507	20	3"	1400	1-1/8	2
RHB20M5	R20508	20	3"	1400	1-1/8	5
RHB28M4	R20513	28	2-3/4"	1250	7/8	4
RHB4104	R20514	410	3"	1200	5/8	4

* Use to reload Ultimate Muzzleloader cases

For the complete line of components, please visit www.remington.com/handloading



WINGMASTER HD

DEADLY TUNGSTEN BLEND

The one-stop shop in duck and goose high-density shotshell rounds. Testing proves Wingmaster HD delivers the best combination of pellet energy and pattern density resulting in high pattern energy on target. At 12 g/cc, our tungsten blend is 6% denser than lead and nearly 50% denser than steel. Wingmaster HD features higher retained energy, with uniform, smooth, round pellets for dense and efficient patterns. Expect deeper penetration and more pellets on target. If you want the most balanced tungsten waterfowl shotshell on the market, Wingmaster HD delivers.

▲ HIGHER RETAINED ENERGY

Denser than lead with excellent patterns

▲ ROUND, SMOOTH TRUE-SIZED PELLETS


Dense, efficient patterns with deep penetration

▲ DEEPER PENETRATION AND MORE PELLETS ON TARGET

Equal energy – 3 shot sizes smaller than steel



WINGMASTER HD						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
RW12S4	20693	12	2 3/4	1325	1 1/4	4
RW12S6	20695	12	2 3/4	1325	1 1/4	6
RW122	20871	12	3	1450	1 1/4	2
RW124	20873	12	3	1450	1 1/4	4
RW126	20875	12	3	1450	1 1/4	6
RW12M2	20685	12	3	1450	1 3/8	2
RW12M4	20687	12	3	1450	1 3/8	4
RW12M6	20689	12	3	1450	1 3/8	6
RW12HM2	20903	12	3	1300	1 1/2	2
RW12HM4	20905	12	3	1300	1 1/2	4
RW1235MB	20655	12	3 1/2	1300	1 3/4	BB
RW1235M2	20657	12	3 1/2	1300	1 3/4	2
RW1235M4	20659	12	3 1/2	1300	1 3/4	4
RW20M4	20763	20	3	1300	1 1/8	4



Dense patterns. Perfect penetration.

HYPERSONIC STEEL

THE WORLD'S FASTEST, HARDEST-HITTING STEEL

It's a simple fact. Most ducks are missed from behind. The good news, Remington's HyperSonic Steel's unprecedented velocity compensates by a full body length at 40 yards – on a duck flying at average speed. The end result: more pellets in the head and neck for quicker kills and fewer misses – all without changing the way you shoot. HyperSonic Steel. Taking lethality to deadlier new heights.

QUICKER KILLS. FEWER MISSES. 11% SHORTER LEADS. MORE HEAD & NECK HITS.



- **HIGH VELOCITY STEEL**
(1450 fps, 1 oz.) @ 40 yds
- **HYPERSONIC STEEL**
(1700 fps, 1 3/4oz.) @ 40 yds

AT 1,700 FPS, HYPERSONIC STEEL GIVES YOU AN 8" LEAD ADVANTAGE AT 40 YARDS.



- 1 UNEQUALLED LETHALITY**
Engineered to put more pellets in the head and neck
- 2 PREMIER COMPONENTS**
Top-shelf propellants, primers, and Remington-made hulls combine for ultimate waterfowl dependability and speed
- 3 XELERATOR WAD TECHNOLOGY**
Remington's proprietary wad helps deliver unprecedented velocity and holds patterns tighter downrange

HYPERSONIC STEEL

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
HSS10C	26724	10	3 1/2	1500	1 1/2	BBB
HSS10B	26726	10	3 1/2	1500	1 1/2	BB
HSS102	26728	10	3 1/2	1500	1 1/2	2
HSS12B	26741	12	3	1700	1 1/8	BB
HSS122	26743	12	3	1700	1 1/8	2
HSS124	26745	12	3	1700	1 1/8	4
HSS12MB	26769	12	3	1700	1 1/4	BB
HSS12M1	26771	12	3	1700	1 1/4	1
HSS12M2	26775	12	3	1700	1 1/4	2
HSS12M3	26776	12	3	1700	1 1/4	3
HSS12M4	26777	12	3	1700	1 1/4	4
HSS1235B	26793	12	3 1/2	1700	1 3/8	BB
HSS12352	26795	12	3 1/2	1700	1 3/8	2
HSS12354	26799	12	3 1/2	1700	1 3/8	4
HSS20M2	26823	20	3	1600	7/8	2
HSS20M4	26825	20	3	1600	7/8	4

For the complete line of components, please visit www.remington.com/handloading



NEW

NITRO STEEL DUPLEX

TAKE 'EM! DEADLY DUPLEX DUAL SHOT

Remington's Duplex shells are back and ready for your duck blind. Loaded with two different sizes of steel shot for ultimate performance at all ranges. Blended, high velocity magnum steel payloads give dense patterns with the smaller shot size close up, whereas the larger shot hits hard close while maintaining energy at longer ranges. Available in 4 shot combinations with more load options coming soon.

- 1 DUPLEX SHOT LOAD**
Two shot sizes for deadly patterns at all hunting ranges
- 2 REMINGTON WAD**
Super-tough, versatile four-petal shot cup protects barrels and performs across a wide range of choke designs
- 3 NITRO STEEL VELOCITY**
High velocity for true magnum-blended steel payloads
- 4 ULTRA-CAPACITY STEALTH HULL**
High base, high quality head and drab hull for less reflection in your bag or blind

HYPERSONIC STEEL

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NEW DPS122X4	R20321	12	3	1450	1-1/4	2 x 4
NEW DPS122X6	R26643	12	3	1450	1-1/4	2 x 6
NEW DPS12BBX4	R26645	12	3	1450	1-1/4	BB x 4
NEW DPS12BBX2	R20323	12	3	1450	1-1/4	BB x 2

NITRO-STEEL

**MORE STEEL TO THE BIRDS
- MORE BIRDS TO THE GROUND**

The steel serious waterfowlers depend on. High-quality, zinc-plated, 100% round pellets fly straight, delivering true close to long-range pattern performance. Plus, Nitro-Steel is fully compatible with aftermarket ported and wad-stripping chokes. It's a proprietary blend of components that produces more dead birds than any other load, year after year.




Premier zinc-plated steel pellets, engineered for higher velocity, greater uniformity, straighter flight and tighter patterns.

NITRO-STEEL

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NS10M2	20853	10	3 1/2	1450	1 1/2	2
NS12HVS4	20803	12	2 3/4	1390	1 1/8	4
NS12SB	20650	12	2 3/4	1275	1 1/4	BB
NS12S2	20654	12	2 3/4	1275	1 1/4	2
NS12S4	20658	12	2 3/4	1275	1 1/4	4
NS12MB	20794	12	3	1450	1 1/4	BB
NS12M1	20796	12	3	1450	1 1/4	1
NS12M2	20798	12	3	1450	1 1/4	2
NS12M3	20800	12	3	1450	1 1/4	3
NS12M4	20802	12	3	1450	1 1/4	4
NS12HMT	20852	12	3	1300	1 3/8	T
NS12HMB	20856	12	3	1300	1 3/8	BB
NS12HM2	20860	12	3	1300	1 3/8	2
NS12HM4	20864	12	3	1300	1 3/8	4
NS11235BB	20837	12	3 1/2	1500	1 1/2	BB
NS112352	20839	12	3 1/2	1500	1 1/2	2
NS16HV2	20941	16	2 3/4	1300	1 5/16	2
NS16HV4	20943	16	2 3/4	1300	1 5/16	4
NS120M4	20769	20	3	1400	1	4

FULL PAYLOADS. FULL PATTERNS. FULL LIMITS.


Pattern from 20 gauge shotshell at 25 yards



Remington Nitro-Steel

Leading Competitor

Pattern from 20 gauge shotshell at 40 yards



Remington Nitro-Steel

Leading Competitor




SPORTSMAN HI-SPEED STEEL

HIGH VELOCITY, HIGH VALUE

Economical waterfowl loads for every hunting situation, Sportsman Hi-Speed Steel also doubles as upland loads in lead-free zones and is priced for pre-season practice. With multiple shot sizes available, match your game of choice easily.

SPORTSMAN HI-SPEED STEEL


INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
SSTHV10B	26605	10	3 1/2	1500	1 3/8	BB
SSTHV102	26607	10	3 1/2	1500	1 3/8	2
SST126	20005	12	2 3/4	1365	1	6
SST127	20007	12	2 3/4	1365	1	7
SST12S2	20934	12	2 3/4	1375	1 1/8	2
SST12S4	20936	12	2 3/4	1375	1 1/8	4
SSTHV12HB	20973	12	3	1550	1 1/8	BB
SSTHV12H2	20977	12	3	1550	1 1/8	2
SSTHV12H4	20981	12	3	1550	1 1/8	4
SSTHV12HMB	20987	12	3	1400	1 1/4	BB
SSTHV12HM1	20791	12	3	1400	1 1/4	1
SSTHV12HM2	20989	12	3	1400	1 1/4	2
SSTHV12HM3	20795	12	3	1400	1 1/4	3
SSTHV12HM4	20991	12	3	1400	1 1/4	4
SST12HMB	20900	12	3	1300	1 3/8	BB
SST12HM2	20904	12	3	1300	1 3/8	2
SSTHV1235B	20997	12	3 1/2	1550	1 3/8	BB
SSTHV12352	20999	12	3 1/2	1550	1 3/8	2
SST207	20009	20	2 3/4	1425	3/4	7
SST20M2	20879	20	3	1300	1	2
SST20M4	20881	20	3	1300	1	4



PREMIER TSS

YOUR DEADLIEST SPRING YET

Send more big ol' toms to the ground with our Premier TSS Turkey Loads. Ultra-dense Tungsten Super Shot payloads deliver increased lethal range, denser patterns, and more knockdown power. A density of 18 g/cc makes a smaller shot size viable over what you'd choose in lead, with an energy and velocity increase to boot. Every load is tuned for the tightest, most consistent patterns possible. Get ready for the deadliest turkey season of your life.




- ▲ **ULTRA HIGH-DENSITY TUNGSTEN SUPER SHOT**
Flies farther, hits harder, and penetrates deeper
- ▲ **HIGHER ENERGY AND BETTER PATTERNS THAN LEAD**
Provides a greater chance for success in the field
- ▲ **INCREASED PELLET COUNTS AND HITS IN THE KILL ZONE**
Guarantees deadly performance that delivers results

STANDARD LEAD LOADS




12 ga / Lead #5



20 ga / Lead #5


REMINGTON PREMIER TSS



12 ga / TSS #9



20 ga / TSS #7



High density Tungsten Super Shot blend penetrates deep and transfers force with tight patterns at extended ranges. Gel block shot shown at 50 yards.

PREMIER TSS

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
TSS1237	28043	12	3	1200	1 3/4	7
TSS1239	28045	12	3	1200	1 3/4	9
TSS2037	28063	20	3	1100	1 1/2	7
TSS2039	28065	20	3	1100	1 1/2	9
TSS41039	28069	410	3	1100	1 1/2	9



KNOCK THE GOBBLE OUT OF THEM.



PREMIER MAGNUM TURKEY

PREMIER TURKEY TAKEDOWN

For avid turkey hunters, speed kills. Delivering hard-hitting power to bag any big tom, Premier Magnum Turkey and Premier Magnum Turkey High Velocity loads are loaded with our Power Piston wad and magnum-grade Copper-Lokt shot for dense patterns and deep penetration equaling more birds to the ground.

PREMIER MAGNUM TURKEY						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
P10HM4A	24395	10	3 1/2	1210	2 1/4	4
P12XHM4A	26801	12	3	1175	2	4
P12XHM5A	26803	12	3	1175	2	5
P12XHM6A	26805	12	3	1175	2	6
P1235M4A	26833	12	3 1/2	1150	2 1/4	4
P20XHM6A	26859	20	3	1185	1 1/4	6


PREMIER MAGNUM TURKEY HIGH VELOCITY						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
PHV12M4A	28029	12	3	1300	1 3/4	4
PHV12M5A	28031	12	3	1300	1 3/4	5
PHV1235M4A	28039	12	3 1/2	1300	2	4
PHV1235M5A	28041	12	3 1/2	1300	2	5
PHV20M5A	20119	20	3	1300	1 1/8	5

NITRO TURKEY						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NT12S5	26688	12	3	1210	1 1/2	5
NT12S4	26690	12	3	1210	1 1/2	4
NT12H4	26693	12	3	1210	1 7/8	4
NT12H5	26695	12	3 1/2	1300	1 7/8	5
NT12H6	26697	12	3 1/2	1300	1 7/8	6
NT12354	26710	12	3 1/2	1300	2	4
NT12355	26708	12	3 1/2	1300	2	5
NT12356	26712	12	3 1/2	1300	2	6
NT20M5	R26730	20	3	1185	1 1/4	5

NITRO TURKEY

NITRO TURKEY EXTENDED RANGE BUFFERED MAGNUMS

Extra-hard lead shot meets next-level patterning at a value price. With a super full choke, Nitro Turkey patterns at over 80% in the kill zone. Nine 12- and 20-gauge options give every globbler slayer shot size and payload options to help you fine tune your go-to turkey load to your shotgun and quarry.





NEW

NITRO PIGEON

PREMIER PIGEON PERFORMANCE

Remington Nitro Pigeon loads are engineered to accurately take down fast-rising doves and upland game. Maximizing your shell's pattern, velocity and consistency, Nitro Pigeon's premier quality ensures fewer birds are lost and more in your bag.



- 1 COPPER-LOKT SHOT**
Remington's highest quality magnum grade copper-plated hard lead shot delivers dense patterns with superior game-getting performance that knocks birds out of the sky
- 2 POWER PISTON WAD**
One-piece unique patented wad protects and cushions shot for dependable patterns over a wide range of hunting and competition conditions
- 3 HIGH PERFORMANCE PROPELLANTS**
Special propellant blend for tight patterns and consistent high velocity
- 4 PREMIER REMINGTON HULL**
Best-in-class unibody hull maintains smooth performance shot after shot


NITRO PIGEON						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NEW NP127	28681	12	2-3/4	1230	1-1/4	7-1/2



NITRO PHEASANT

ROOSTER! HIGH-SPEED UPLAND FURY

For pattern, energy and performance, nobody beats Nitro Pheasant. It uses the Remington Copper-Lokt copper-plated lead shot with high antimony content — the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. When it comes to bringing down tough birds like pheasants, you need a load that delivers maximum pattern density and lethal energy— you need Nitro Pheasant. Available in high velocity and magnum loads in 12- and 20-gauge.



NITRO PHEASANT						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NP124	28620	12	2 3/4	1400	1 1/4	4
NP125	28622	12	2 3/4	1400	1 1/4	5
NP126	28624	12	2 3/4	1400	1 1/4	6
NP12M4	28632	12	2 3/4	1300	1 3/8	4
NP12M5	28634	12	2 3/4	1300	1 3/8	5
NP12M6	28636	12	2 3/4	1300	1 3/8	6
NP205	28646	20	2 3/4	1300	1	5
NP206	28648	20	2 3/4	1300	1	6
NP20M5	28651	20	3	1185	1 1/4	5
NP20M6	28653	20	3	1185	1 1/4	6




EXPRESS XLR

EXTRA LONG RANGE. FASTER. FARTHER.

Simply, the best-balanced, tight patterning upland field loads available. Decades of hunters have come to know and trust Express XLR to knock down the biggest upland game around. The time-proven excellence of the Express XLR (Extra Long Range) line offers 12-gauge to .410 Bore and shot sizes ranging from #2 all the way down to #7 1/2, for everything from pheasant and quail to rabbits and squirrels.

EXPRESS XLR EXTRA LONG RANGE						
INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
SP122	20143	12	2 3/4	1330	1 1/4	2
SP124	20145	12	2 3/4	1330	1 1/4	4
SP125	20147	12	2 3/4	1330	1 1/4	5
SP126	20149	12	2 3/4	1330	1 1/4	6
SP1275	20151	12	2 3/4	1330	1 1/4	7 1/2
NEHV125	20167	12	2 3/4	1450	1 1/8	5
NEHV126	20168	12	2 3/4	1450	1 1/8	6
NEHV1275	20169	12	2 3/4	1450	1 1/8	7 1/2
SP164	28003	16	2 3/4	1295	1 1/8	4
SP166	28007	16	2 3/4	1295	1 1/8	6
SP1675	28009	16	2 3/4	1295	1 1/8	7 1/2
SP204	20333	20	2 3/4	1220	1	4
SP205	20335	20	2 3/4	1220	1	5
SP206	20337	20	2 3/4	1220	1	6
SP2075	20339	20	2 3/4	1220	1	7 1/2
NEHV206	20181	20	2 3/4	1350	7/8	6
NEHV2075	20183	20	2 3/4	1350	7/8	7 1/2
SP286	28047	28	2 3/4	1295	3/4	6
SP2875	28049	28	2 3/4	1295	3/4	7 1/2
SP4104	20743	410	2 1/2	1250	1/2	4
SP4106	20745	410	2 1/2	1250	1/2	6
SP41075	20747	410	2 1/2	1250	1/2	7 1/2
SP4134	20771	410	3	1135	1 1/16	4
SP4136	20775	410	3	1135	1 1/16	6
SP41375	20777	410	3	1135	1 1/16	7 1/2



PHEASANT LOADS

The high velocity and long-range performance of Remington Pheasant Loads are just right for any rooster, quail, chukar, grouse, or even woodcock situation. Standard high-brass payloads include 12-, 16-, and 20-gauge.



NITRO MAGNUM EXTENDED RANGE BUFFERED

Equally excellent for bagging upland feathers and fur. Heavy payloads of magnum-grade shot are packed with polymer buffering and enclosed in our Power Piston one-piece wad to provide dense, even patterns and uniform shot strings.

PHEASANT LOADS

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
PL124	20046	12	2¾	1330	1¼	4
PL125	20024	12	2¾	1330	1¼	5
PL126	20048	12	2¾	1330	1¼	6
PL127	20050	12	2¾	1330	1¼	7½
PL166	20054	16	2¾	1295	1¼	6
PL204	20058	20	2¾	1220	1	4
PL205	20018	20	2¾	1220	1	5
PL206	20060	20	2¾	1220	1	6

NITRO MAGNUM EXTENDED RANGE

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NM12S2	26676	12	2¾	1260	1½	2
NM12S4	26678	12	2¾	1260	1½	4
NM124	26674	12	3	1280	1½	4
NM126	20376	12	3	1280	1½	6
NM12H2	26682	12	3	1210	1½	2
NM12H4	26684	12	3	1210	1½	4
NM12H6	26685	12	3	1210	1½	6
NM20S4	20664	20	2¾	1175	1½	4
NM20S6	20666	20	2¾	1175	1½	6
NM20H4	20672	20	3	1185	1¼	4
NM20H6	20674	20	3	1185	1¼	6

GAME LOADS

Budget-stretching shotshells for a wide variety of hunting. Upland or small game, these are quality shells for any outing. Available in 12-, 16-, 20-gauge and .410 Bore.

GAME LOADS

INDEX NO.	ORDER NO.	GAUGE/BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
GL126	20028	12	2¾	1290	1	6
GL127	20030	12	2¾	1290	1	7½
GL128	20032	12	2¾	1290	1	8
GL166	20034	16	2¾	1200	1	6
GL167	20036	16	2¾	1200	1	7½
GL168	20038	16	2¾	1200	1	8
GL206	20040	20	2¾	1225	7/8	6
GL207	20042	20	2¾	1225	7/8	7½
GL208	20044	20	2¾	1225	7/8	8
GL4106	20014	.410	2½	1200	1/2	6

HEAVY DOVE LOADS

The hunter's choice for doves and a wide variety of game-bird applications. Available in 12- and 20-gauge with shot sizes of 7½ and 8.

HEAVY DOVE LOADS

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
RHD1275	28755	12	2¾	1255	1½	7½
RHD128	28757	12	2¾	1255	1½	8
RHD2075	28777	20	2¾	1165	1	7½
RHD208	28779	20	2¾	1165	1	8

ULTIMATE DEFENSE BUCKSHOT

DEFENSE DELIVERED

Ultimate Defense Buckshot rounds deliver dense, devastating patterns and massive knockdown power when the stakes are at their highest. Short-range patterns in smoothbore barrels are tight and effective for one-shot confidence. Full power 12-gauge, and Managed-Recoil 12- and 20-gauge loads complete this line by offering buckshot products well suited to anyone's desire for maximizing their shotgun's effectiveness against an imminent threat.



Dense pattern and optimal penetration for reliable defense.



1 MULTIPLE PAYLOAD OPTIONS

Choose from hard-hitting 8-pellet 00 to 41-pellet 4-buck shot options

2 ULTIMATE RELIABILITY

High brass head, carefully loaded shells and Remington-built primers for feed, function and fire in any circumstance

ULTIMATE DEFENSE BUCKSHOT

INDEX NO.	ORDER NO.	GAUGE/BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12B009HD	20713	12	2 3/4	1325	9 pel	00
12B008RRHD	20711	12	2 3/4	1200	8 pel	00
12HB00HD	20633	12	3	1225	15 pel	00
12HB4HD	20639	12	3	1225	41 pel	4
12BRR4HD	20637	12	2 3/4	1200	21 pel	4
20BRR3HD	20681	20	2 3/4	1140	17 pel	3
410B000HD	20697	410	2 1/2	1225	4 pel	000
413B000HD	20707	410	3	1125	5 pel	000

BUCKSHOT VALUE PACKS

COMPETITIVE RUN & GUN.

Available in a 25-round box or 100-round sleeve (4 individual boxes), it's simply the best value in buckshot for home defense, tactical shooting or predator hunting. Buckshot value packs are loaded with Remington Express 00 Buckshot, chosen time and again for its tight, consistent patterns. For more confidence per box, choose Remington.

BUCKSHOT VALUE PACKS

DESCRIPTION	INDEX NO.	ORDER NO.	GAUGE/BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
25 ROUND BOX	12B00A	20411	12	2 3/4	1325	9 pel	00
100 ROUND BOX	12B00B	20413	12	2 3/4	1325	9 pel	00



EXPRESS MAGNUM & EXPRESS BUCKSHOT

BIG BUCK - BIGGER PAYLOAD


One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns. Available in magnum offerings, plus 15-round count packaging.

EXPRESS BUCKSHOT BUFFERED VS EXPRESS BUCKSHOT MAGNUM

4-SHOT

00 BUCKSHOT

000 BUCKSHOT




Express Magnum Buckshot packs more shot into your shell than our standard loads. Increase the odds with more pellets on target in every round.

EXPRESS BUCKSHOT

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12B000	20406	12	2 3/4	1325	8 pel	000
12B00	20620	12	2 3/4	1325	9 pel	00
12B0015B	26876	12	2 3/4	1325	9 pel	00
12B0	20622	12	2 3/4	1275	12 pel	0
12B1	20624	12	2 3/4	1250	16 pel	1
12B4	20626	12	2 3/4	1325	27 pel	4
20B3	20630	20	2 3/4	1220	20 pel	3
20B315B	26877	20	2 3/4	1220	20 pel	3

EXPRESS MAGNUM BUCKSHOT

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
12SB00	20632	12	2 3/4	1290	12 pel	00
12HB000	20408	12	3	1225	10 pel	000
12HB00	20636	12	3	1225	15 pel	00
12HB4	20640	12	3	1225	41 pel	4
1235B00	20280	12	3 1/2	1125	18 pel	00




PREMIER ACCUTIP SABOT SLUG

PUNCHES HUGE HOLES WITH PINPOINT ACCURACY

It's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. A true masterpiece of aerodynamics delivering tremendous knockdown force to the farthest reaches of rifled shotgun range. Spiral nose cuts and high-strength cartridge-brass jacket come together to create large, perfect mushrooms with over 95 percent weight retention from 5 to 200 yards. Available in 2 3/4" or 3", 12-gauge and 20-gauge.



1,900 FPS FLAT-OUT CRUSHES BIG GAME.



Premier Accutip Slug's devastating impact energy and force transfer shown at 50 yards.

PREMIER ACCUTIP SABOT SLUG													
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (GR.)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (IN.)		
					MUZ.	50 YD.	100 YD.	MUZ.	50 YD.	100 YD.	50 YD.	100 YD.	150 YD.
PRA12	20727	12	2 3/4	385	1850	1611	1401	2925	2218	1677	2.7	3.6	0.0*
PRA12M	20731	12	3	385	1900	1656	1439	3086	2344	1771	2.5	3.4	0.0*
PRA20	20496	20	2 3/4	260	1850	1610	1399	1976	1496	1130	2.7	3.6	0.0*
PRA20M	20498	20	3	260	1900	1655	1438	2084	1581	1193	2.5	3.4	0.0*

* 0.0 indicates yardage at which shotgun was sighted in.

- 1 POWER PORT TIP DELIVERS DRAMATICALLY SUPERIOR ACCURACY
- 2 SPIRAL NOSE CUTS CONTROL EXPANSION AT ALL RANGES
12-gauge: 5-200 yards / 20-gauge: 5-150 yards
- 3 HIGH WEIGHT RETENTION AT ALL DISTANCES
98% @ 100 yards for 12-gauge and 20-gauge
- 4 SLUG JACKET MADE FROM HIGH-STRENGTH CARTRIDGE BRASS
Designed for use in fully rifled barrels only



SLUGGER RIFLED SLUG

Our most popular, accurate, hard-hitting smooth bore slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.



SLUGGER RIFLED SLUG													
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (IN.)		
					MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS. 150 YDS.	
SP12RS	20300	12	2 3/4	1	1560	1203	1004	2361	1403	976	0.0*	-4.5	--
S12SRS	20302	12	2 3/4	1	1680	1285	1045	2378	1605	1059	0.0*	-3.8	--
S12MRS	20270	12	3	1	1760	1345	1075	3005	1753	1121	0.0*	-3.4	--
SP16RS	20614	16	2 3/4	4/5	1600	1175	965	1989	1072	724	0.0*	-4.8	-
SP20RS	20616	20	2 3/4	7/8	1580	1240	1034	1513	931	648	0.0*	-4.2	-
SP41RS	20618	410	2 1/2	1/5	1830	1335	1040	654	348	211	0.0*	-3.5	-

* 0.0 indicates yardage at which shotgun was sighted in.

SLUGGER HIGH VELOCITY

This higher velocity slug exits the barrel at 1800 fps, 13% faster than standard 1-oz. slugs. The 7/8-oz. Slugger High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1-oz. slugs. Produced in most popular slug loadings— 2 3/4" and 3" 12-gauge and 2 3/4" 20-gauge. Designed for the avid deer hunter using smooth bore guns.



SLUGGER HIGH VELOCITY RIFLED SLUG													
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (IN.)		
					MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS. 150 YDS.	
SPHV12RS	28600	12	2 3/4	7/8	1800	1252	978	2751	1517	813	0.0*	-4.1	--
SPHV12MRS	28604	12	3	7/8	1875	1302	998	2989	1442	847	0.0*	-3.7	--
SPHV20RS	28608	20	2 3/4	1/2	1800	1541	1321	1574	1154	847	0.0*	-2.2	--

* 0.0 indicates yardage at which shotgun was sighted in.

SLUGGER MANAGED-RECOIL

Devastating performance with 45% less felt recoil than full velocity Sluggers. Less recoil makes sighting-in more comfortable, while the accuracy and speed of second shots is greatly improved. And with effective energy out to 80 yards, it handles the majority of shotgun deer hunting ranges.



Slugger Rifled Slug's energy transfer and temporary wound cavity shown at 50 yards.

SLUGGER MANAGED RECOIL RIFLED SLUG													
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	SLUG (OZ.)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (IN.)		
					MUZ.	50 YDS.	100 YDS.	MUZ.	50 YDS.	100 YDS.	50 YDS.	100 YDS. 150 YDS.	
RL12RS	20290	12	2 3/4	1	1200	988	873	1397	948	739	0.0*	-7.4	--

* 0.0 indicates yardage at which shotgun was sighted in.

SLUGGER RIFLED SLUG HIGH VELOCITY SHELLS COME OUT FASTER, to help you shoot flatter. Muzzle velocity differences shown for common hunting loads.

12 GA. 2 3/4"

SLUGGER RIFLED SLUGS 1560 FPS 12 GA. 2 3/4" 1 oz.

VS

SLUGGER RIFLED SLUG 1800 FPS 12 GA. 2 3/4" 7/8 oz.

20 GA. 2 3/4"

SLUGGER RIFLED SLUGS 1580 FPS 20 GA. 2 3/4" 7/8 oz.

VS

SLUGGER RIFLED SLUG 1800 FPS 20 GA. 2 3/4" 1/2 oz.

PREMIER STS

CHAMPIONSHIP DNA

Shoot to win with a world-class combination of shot-to-shot consistency and reloadability. The choice of champions at major skeet, trap, and sporting clays shoots across the country, Premier STS Target Loads are the benchmark for target-crushing performance and a favorite at the reloading bench. But don't take our word for it, ask the long list of Remington champions winning with Premier STS.



1 CRIMP

Improved design facilitates wad insertion and reduces the forces required for final crimp — a real plus in high output progressive reloading

2 REMINGTON SHOT

High antimony hard lead shot precision graded to insure perfectly round pellets with incredible uniformity for tight patterns



3 FIGURE 8 WAD

Remington Figure 8 Wad is engineered to compress evenly on ignition to cushion and protect the shot. Extra deep over-powder cup positively seals gases for consistent velocity — even in overbored guns

4 PREMIER STS BODY

High tensile polyethylene hull reloads longer, while providing an extra smooth finish for positive feeding in competition guns

5 FRESH MADE BRASS

Brass for easy resizing and long life

PREMIER STS

INDEX NO.	ORDER NO.	GAUGE/ BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
STS1218	20155	12	2 3/4	1185	1	8
STS12L7	20110	12	2 3/4	1145	1 1/8	7 1/2
STS12L8	20112	12	2 3/4	1145	1 1/8	8
STS12LB5	20114	12	2 3/4	1145	1 1/8	8 1/2
STS12L9	20116	12	2 3/4	1145	1 1/8	9
STS12LH7	20250	12	2 3/4	1200	1 1/8	7 1/2
STS12LH8	20252	12	2 3/4	1200	1 1/8	8
LR STS12LR7	20240	12	2 3/4	1100	1 1/8	7 1/2
LR STS12LR8	20242	12	2 3/4	1100	1 1/8	8
STS20SC8	28059	20	2 3/4	1200	7/8	8
STS209	20217	20	2 3/4	1200	7/8	9
STS28SC8	28057	28	2 3/4	1200	3/4	8
STS289	28053	28	2 3/4	1200	3/4	9
STS4109	20750	410	2 1/2	1275	1/2	9

KEY: LR = Low Recoil



▲ LOADED TO PERFORM

STS shotgun shells are loaded with premier shot, primers, powders, and wads.

▲ A SHELL FOR EVERY SHOT

Available in target, light target, light handicap and low recoil loads.



TEAM REMINGTON

CRUSHING CLAYS AND THE COMPETITION

Another season of sporting, skeet and trap shooting means more championship wins by the nation's premier roster of shotshell athletes.

In 2023, Big Green brought home top finishes and titles across national tournaments, international shoot outs, and even world championships. Team Remington is made up of an accomplished list of top shooters who continue to compete and win with the best in the world across each discipline.



TRAP:

Raylee Bishop
Michael Blaisdell
Bruce Davis
Wyatt Debrie
Mike Dennis
Sean Hawley
Zachari Nannini
Sandy Jack
Austin Jacob
Eliana Mccarthy
TJ Main
Dean Townsend
Peter Walker

SKEET

Sam Armstrong
Clay Baldwin
Alison Boyette
Lauren Burge
Lindsay Plesko
Houston Deshotels
John Haugh
Craig Parsons
Sheaffer Stanfill
Conner Thigpen
Alessandro Vitale

SPORTING CLAYS

Wendell Cherry
Todd Hitch
Ryan Harper
Michael Luongo
Turner Parcell
Lane Picklo
Brandon Powell
Madison Sharpe



Stay in touch with Team Remington. Subscribe to Remington's e-newsletter to see where we're shooting and keep up with the latest wins.



NEW LOAD

PREMIER NITRO SPORTING CLAYS

COMPETITION. WE USE THE TERM LIGHTLY

Smoke targets and conquer the competition with Premier Nitro Sporting Clays — the finest sporting clay loads in the world today. The shell's extra velocity gives you an added advantage for those long crossers — making target leads shorter for ultimate clay-crushing satisfaction. The unique Remington Premier gold hull has earned a reputation as one of the most “reloader friendly” designs ever to hit the clay target-shooting world.



PREMIER NITRO SPORTING CLAYS

INDEX NO.	ORDER NO.	GAUGE/BORE	LENGTH (IN.)	VELOCITY	OUNCES OF SHOT	SHOT SIZE
STS12NSC17	28850	12	2 3/4	1350	1	7 1/2
STS12NSC7	20264	12	2 3/4	1300	1 1/8	7 1/2
STS12NSC8	20266	12	2 3/4	1300	1 1/8	8
STS20NSC7	28860	20	2 3/4	1300	7/8	7 1/2
STS28NSC7	28868	28	2 3/4	1300	3/4	7 1/2
STS410NSC8	28879	410	2 1/2	1300	1/2	8
NEW STS12NSCL17	R20123	12	2 3/4"	1290	1	7 1/2



PREMIER NITRO 27 HANDICAP LOADS

ENGINEERED FOR THOSE WHO LIKE TO WIN.

Designed specifically for back-fence trap and long-range sporting clays, Premier Nitro 27 Target Loads deliver consistent handicap velocity and pattern uniformity shot after shot. Our Premier body and Power Piston Wad reduces felt recoil while retaining high velocity and world-class performance, allowing avid trap shooters to stay fresh for the shoot-off. What's more, Premier Nitro 27 scores just as high on fast-moving doves and boasts long-range effectiveness that's backed by a long list of Remington trapshooting champions.

PREMIER NITRO 27 HANDICAP TRAP LOADS

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	VELOCITY	OUNCES OF SHOT	SHOT SIZE
STS12NH17	20227	12	2 3/4	1290	1	7 1/2
STS12NH7	20222	12	2 3/4	1235	1 1/8	7 1/2
STS12NH8	20224	12	2 3/4	1235	1 1/8	8





GUN CLUB CURE

EVERY SHOT MATTERS

Ignite a fire of compassion and support with Remington Gun Club Cure. This shotshell isn't just about hitting targets; it's a powerful force for good. A portion of the proceeds from every purchase goes directly to children's hospitals and disease research, making your day at the trap, skeet, or sporting clays course a meaningful contribution to real families nationwide. Gun Club Cure's distinctive hull is not just a symbol of support; it is a testament to your dedication to a cause that truly matters.

Available in two 12-gauge loads; including a low-recoil option.



- 1 PREMIER STS HULL CONSTRUCTION**
Made with the same internal dimensions as Remington's leading Premier STS hull
- 2 GUN CLUB SHOT**
Made to the highest quality control standards
- 3 REMINGTON POWER PISTON WAD**
Gives consistent velocity for higher scores
- 4 PRIMER/PROPELLANT**
Carefully chosen for shot-to-shot consistency and a smooth feel

GUN CLUB CURE						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
GCC12L8	R20029	12	2 3/4	1145	1 1/8	8
LR GCC12LR8A	R20031	12	2 3/4	1100	1 1/8	8

KEY: LR = Low Recoil



GUN CLUB TARGET LOADS

HIGH QUALITY. LOW COST

Spend less and shoot more. Remington Gun Club Target Loads are an excellent choice for a budget-savvy shooter, the highest quality budget shotshells on the market. Featuring Gun Club Grade Shot, Premier STS Primers, and Power Piston One-Piece Wads, these high-quality shells receive the same care in loading as our top-of-the-line Premier STS and Nitro 27 shells. Available in most gauges including low recoil loads, this shell is guaranteed to give you more bang for your buck.



- ▲ QUALITY MEETS AFFORDABILITY**
Gun Club are the most consistent and reliable shells for a whole lot less
- ▲ LOADED TO PERFORM**
Loaded with Gun Club Grade Shot, Premier STS Primers and Power Piston One-Piece Wads
- ▲ HANDLOADER APPROVED**
Provides handloaders with unequalled reloading ease and hull longevity
- ▲ LOW RECOIL**
Shoot more with less felt recoil. Enabled by advanced propellant technology, low recoil loads are great for young shooters, new shooters or anyone looking to shoot all day. Available in Premier STS, Gun Club and Gun Club Cure.

GUN CLUB TARGET LOADS						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
GC1218	20081	12	2 3/4	1185	1	8
GC12L7	20244	12	2 3/4	1145	1 1/8	7 1/2
GC12L8	20230	12	2 3/4	1145	1 1/8	8
GC12L9	20248	12	2 3/4	1145	1 1/8	9
GC127	20232	12	2 3/4	1200	1 1/8	7 1/2
GC128	20234	12	2 3/4	1200	1 1/8	8

GUN CLUB TARGET LOADS (CONTINUED)						
INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
LR GC12LR8	20241	12	2 3/4	1150	1	8
LR GC12LR8A	20243	12	2 3/4	1100	1 1/8	8
GC207	20239	20	2 3/4	1200	7/8	7 1/2
GC208	20235	20	2 3/4	1200	7/8	8
GC209	20236	20	2 3/4	1200	7/8	9
GC12S17	R20035	12	2 3/4	1250	1	7 1/2

KEY: LR = Low Recoil



NEW

LOW DECIBEL

BREAK CLAYS WITH LESS RECOIL AND NOISE

Remington Low Decibel is the best .410 Bore answer for shooting subsonic shotshells. With a muzzle velocity of only 550 fps, your recoil is reduced without sacrificing dense, clay-busting patterns downrange. Turn down the noise and turn up the fun with Remington Low Decibel.

- ▲ **EXPERTLY ENGINEERED PROPELLENT**
Low velocity for pleasant shooting, less recoil and noise
- ▲ **ACCURATE WAD**
Reliable patterns downrange for performance on target
- ▲ **QUALITY COMPONENTS**
Uniform, precisely charged lead shot with optimal hardness
- ▲ **EASY & RELIABLE**
Semi-auto & break-open action ready



LOW DECIBEL						
INDEX NO.	ORDER NO.	BORE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
NEW SP410LD9	R20740	.410	2 3/4	550	3/4	9

- ✕ REMINGTONARMS
- f REMINGTON1816
- ▶ REMINGTON1816
- 📷 REMINGTON1816
- 🎵 THE_REMINGTON_CLUB

www.remington.com

Be sure to catch our podcast
www.remington.com/remington-country/podcast/



PETERS PREMIER BLUE PAPER SHOTSHELLS

RETRO PAPER – MODERN PERFORMANCE

Peters Blue brings you new, yet traditional style paper hull shotshells. Tuned for the modern trap, skeet and sporting clay shooter, the paper hulls reduce felt recoil for a more enjoyable day at the range. Peters Paper packs the same powerful components found in other Peters and Remington Premier loads. Enjoy the sweet smell of paper...and victory.



- 1 **PREMIER LEAD SHOT**
High antimony lead shot screened to produce uniform performance and clay busting accuracy
- 2 **PETERS PAPER HULL**
Shoot longer with less felt recoil. The sweet smell of victory
- 3 **COMPETITION WAD**
Retro look, modern performance. Produces tight patterns downrange
- 4 **PRIMER/PROPELLANT**
Carefully selected and paired to produce even ignition and consistent velocity
- 5 **ALL BRASS HEAD**
For the utmost in reliability and reloadability

PETERS PREMIER BLUE PAPER

INDEX NO.	ORDER NO.	GAUGE	LENGTH (IN.)	MUZZLE VELOCITY (FPS)	OUNCES OF SHOT	SHOT SIZE
PPT12175	28758	12	2 3/4	1290	1	7 1/2
PPT12L75	28745	12	2 3/4	1145	1 1/8	7 1/2
PPT12L8	28746	12	2 3/4	1145	1 1/8	8
PPT12H75	R28749	12	2 3/4	1200	1 1/8	7 1/2
PPT12H8	28751	12	2 3/4	1200	1 1/8	8



HANDGUN



- NEW** CORE-LOKT HANDGUN 67
- GOLDEN SABER BONDED 69
- GOLDEN SABER DEFENSE..... 70
- HTP HIGH PERFORMANCE..... 71
- RANGE CLEAN 73
- SUBSONIC..... 74
- REMINGTON RANGE 75
- PERFORMANCE WHEELGUN..... 76
- UMC HANDGUN 77
- NEW** UMC LEADLESS 78



THE DEADLIEST MUSHROOM. NOW HANDGUN READY.

NEW CORE-LOKT HANDGUN

Coming hunting season '24, Core-Lokt Handgun lets every pistol and revolver hunter shoot the ammo that has dropped more deer than any other since 1939. Proven Core-Lokt hollow point projectiles are optimized for ultimate handgun hunting performance with true Deadly Mushroom expansion on big game.

Tuned for pistol-length barrels and velocities, get ready for your next whitetail, hog, or black bear excursion with Core-Lokt Handgun.

CLASSIC CORE-LOKT PROJECTILES

The superior 2X expansion, high weight retention and deep penetration of The Deadliest Mushroom in the Woods, with a unique hollow point design

PREMIER NICKEL CASES

Smooth, reliable, flawless function in any type of handgun or revolver

HANDGUN HUNTING APPROVED

Heavy-for-caliber bullets, effective and powerful




CORE-LOKT HANDGUN HUNTING				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 357 MAGNUM	RHH357M1	R20220	180	Semi-Jacketed Hollow Point
NEW 10MM AUTO	RHH10MM1	R20231	200	Semi-Jacketed Hollow Point
NEW 41 REMINGTON MAGNUM	RHH41MG1	R20225	210	Semi-Jacketed Hollow Point
NEW 44 REMINGTON MAGNUM	RHH44MG1	R20228	240	Semi-Jacketed Hollow Point

For more information on ballistics, see pages 108-118.

GOLDEN SABER BONDED

BUILT TO DEFEND WHEN IT MATTERS MOST

All the revolutionary features that make Golden Saber rounds the leading edge in defensive handgun rounds, along with the unmatched barrier-penetration performance of our special bonded-bullet design. Exceptional weight retention—up to 97% through auto glass. Jacket stiffness and wall thickness optimized to eliminate over-expansion, thus maximizing penetration. 357 Sig, 9mm Luger, 10MM Auto, 40 S&W and 45 Auto.



- 1 EXCLUSIVE TECHNOLOGY HOT-BONDS LEAD CORE TO BRASS JACKET**
- 2 REDUCED BULLET NOSE DIAMETER FOR PRECISE BORE ALIGNMENT AND MATCH-GRADE ACCURACY**
- 3 REQUIRES LESS ENERGY TO INITIATE EXPANSION**
- 4 LOADED WITH PREMIER COMPONENTS FOR ULTIMATE RELIABILITY**



GOLDEN SABER BONDED				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
9MM LUGER	GSB9MMDB	29341	124	BBJHP
9MM LUGER	GSB9MMCB	29343	147	BBJHP
10MM AUTO	GSB10MMAB	R21368	180	BBJHP
357 SIG	GSB357SBB	29407	125	BBJHP
40 S&W	GSB40SWAB	29363	165	BBJHP
40 S&W	GSB40SWBB	29365	180	BBJHP
45 AUTO	GSB45APAB	29325	185	BBJHP
45 AUTO	GSB45APBB	29327	230	BBJHP

KEY: BBJHP = Bonded Brass Jacketed Hollow Point
For more information on ballistics, see pages 108-118.



Golden Saber Bonded penetrates to optimal performance depth with maximum energy and force transfer for stopping power.

GOLDEN SABER DEFENSE

OPTIMIZED FOR FULL-SIZE OR COMPACT HANDGUNS

Built on a trusted law enforcement platform, our personal defense ammunition features high-performance Golden Saber Brass Jacketed Hollow Point (BJHP) rounds, ensuring massive expansion and deep penetration for superior stopping power. The premier nickel-plated cases resist corrosion and cycle reliably even after extended storage. Available in full size and compact options for pistols and revolvers.



Golden Saber Defense Compact is specifically designed for concealed carry, providing substantial terminal performance from shorter-barreled firearms.



- 1 EXCLUSIVE BRASS JACKET**
Precision nose cuts control expansion and optimizes energy transfer
- 2 CASE MOUTH AND PRIMER WATERPROOFING**
For maximum reliability
- 3 NICKEL-PLATED CASES**
To reduce oxidation and improve feeding and extraction
- 4 SPECIALLY TREATED POWDERS**
To suppress muzzle flash



Optimal Penetration & Expansion for Threat-Stopping Performance.

GOLDEN SABER DEFENSE FULL SIZE

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 AUTO	GSD380BN	27605	102	BJHP
38 SPECIAL +P ‡	GSD38SBN	27606	125	BJHP
9MM LUGER	GSD9MMBN	27601	124	BJHP
9MM LUGER	GSD9MMC	27604	147	BJHP
9MM LUGER +P	GSD9MMD	27603	124	BJHP
10MM AUTO	GSD10MMBN	R21369	180	BJHP
357 MAGNUM	GSD357MA	27600	125	BJHP
40 S&W	GSD40SWA	27607	165	BJHP
40 S&W	GSD40SWBN	27608	180	BJHP
45 AUTO	GSD45APA	27609	185	BJHP
45 AUTO	GSD45APBN	27612	230	BJHP
45 AUTO +P	GSD45APC	27611	185	BJHP

GOLDEN SABER DEFENSE COMPACT

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 AUTO	GSC380BN	27615	102	BJHP
38 SPECIAL +P ‡	GSC38SBN	27617	125	BJHP
9MM LUGER	GSC9MMBN	27613	124	BJHP
10MM AUTO	GSC10MMBN	R21370	180	BJHP
40 S&W	GSC40SWBN	27618	180	BJHP
45 AUTO	GSC45APBN	27619	230	BJHP

KEY: BJHP = Brass Jacketed Hollow Point


‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 108-118.

HIGH PERFORMANCE. ON TARGET OR GAME

HTP HIGH TERMINAL PERFORMANCE

MORE VARIETY - MORE DEADLY

Equally as good for personal defense or bringing down big game, Remington High Terminal Performance packs ample punch to deliver instant stopping power when you need it most. Manufactured with premier primers, brass cases and propellants, HTP is available in all major defense calibers, in standard and many +P loadings. Because when you've got a job to do, we've got the load to help you get it done.



1 FIVE BULLET OPTIONS

Hollow point and soft point bullets engineered for each cartridge

2 38 SPECIAL TO 45 COLT

From micro-compact defensive handguns to your favorite freezer-filler revolver, HTP Handgun offers a wide array of cartridge, grain weights and +P options

ED SUPER CARRY™

More capacity than a 9MM. More effective than a 380 Auto, 30 Super Carry is taking the defensive world by storm. Available from Remington in HTP Handgun and range-ready UMC Handgun.

MAGAZINE CAPACITY



10 ROUNDS
9MM LUGER



13 ROUNDS
30 SUPER CARRY

3 MORE ROUNDS PER MAGAZINE

HTP HANDGUN

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
30 SUPER CARRY	RTP30C	R20019	100	JHP
9MM LUGER	RTP9MM1A	28288	115	JHP
9MM LUGER +P	RTP9MM6A	28293	115	JHP
9MM LUGER	RTP9MM8A	28295	147	JHP
32 H&R MAG	RTP32HR	R20017	85	JHP
357 MAG	RTP357M7A	22237	110	SJHP
357 MAG	RTP357M1A	22227	125	SJHP
357 MAG	RTP357M2A	22231	158	SJHP
357 MAG	RTP357M3A	22233	158	SP
357 MAG	RTP357M10A	22239	180	SJHP
38 SPL	RTP38S16A	22293	110	SJHP
38 SPL +P	RTP38S10A	22295	110	SJHP
38 SPL +P	RTP38S21A	22303	125	SJHP
38 SPL +P	RTP38S12A	22297	158	LHP
380 AUTO	RTP380A1A	22248	88	JHP
41 REMINGTON MAG	RTP41MG1A	23000	210	JSP
44 REMINGTON MAG	RTP44MG2A	23002	240	JHP
44 REMINGTON MAG	RTP44MG3A	23010	240	SJHP
40 S&W	RTP40SW1A	22306	155	JHP
40 S&W	RTP40SW2A	22308	180	JHP
45 AUTO	RTP45AP2A	21453	185	JHP
45 AUTO	RTP45AP7A	21455	230	JHP
45 COLT	RTP45C1A	23012	230	JHP

For more information on ballistics, see pages 108-118.

KEY: JHP = Jacketed Hollow Point SJHP = Semi-Jacketed Hollow Point SP = Soft Point LHP = Lead Hollow Point JSP = Jacketed Soft Point



RANGE CLEAN

CLEAN SHOOTING CONFIDENCE

From lead-free primers to specially designed bullets, economical Remington Range Clean cartridges virtually eliminate lead exposure at the firing line. A must-have for shooters who frequent indoor ranges, it's jacketed bullet's enclosed base prevents lead exposure upon firing. Standard bullet weights duplicate the ballistics of conventional loads.



- ▲ DESIGNED FOR INDOOR RANGES
- ▲ LEAD-FREE PRIMER
- ▲ SAME WEIGHT AS CONVENTIONAL LOADS
- ▲ AVAILABLE IN 380 AUTO, 9MM LUGER, 40 S&W, AND 45 AUTO

REMINGTON RANGE CLEAN				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 AUTO	RC380AP2	27683	95	FNEB
9MM LUGER	RC9MM11	27681	115	FNEB
40 S&W	RC40SW5	27685	180	FNEB
45 AUTO	RC45AP8	27687	230	FNEB

KEY: FNEB = Flat Nose Enclosed Base
For more information on ballistics, see pages 108-118.




SUBSONIC HANDGUN

AMMUNITION FOR THE SILENT REVOLUTION

Remington Subsonic Handgun ammunition is specifically designed for shooting in suppressed pistols. Engineered for maximum performance at subsonic velocities and — after a long session at the range — easier cleaning thanks to enclosed base bullets that virtually eliminate leading in suppressor ports.



SUPPRESSED vs UNSUPPRESSED



REMINGTON SUBSONIC HANDGUN				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
9MM LUGER	S9MM9	28435	147	Flat Nose Enclosed Base
45 AUTO	S45AP4	28428	230	Flat Nose Enclosed Base

For more information on ballistics, see pages 108-118.



REMINGTON RANGE

CONSISTENT, RELIABLE, AFFORDABLE PRECISION FOR EVERYDAY AT THE RANGE

Save on price without skimping on quality with Remington Range. A line of FMJ handgun ammunition designed with the frequent shooter in mind. Remington Range is built with high quality, factory fresh components. Available in 9MM Luger or 40 S&W.



REMINGTON RANGE				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
9MM LUGER	T9MM3L	R27778	115	FMJ
9MM LUGER	T9MM3CL	R27779	115	FMJ
9MM LUGER	T9MM3B	R23972	115	FMJ
9MM LUGER	T9MM3A	R23975	115	FMJ
9MM LUGER	T9MM2L	R27780	124	FMJ
40 S&W	T40SW3L	R27781	180	FMJ

KEY: FMJ = Full Metal Jacket
For more information on ballistics, see pages 108-118.



PERFORMANCE WHEELGUN

REVOLVER & LEVERGUN FAVORITES LOADED WITH EVERY MODERN BALLISTIC ADVANTAGE

Introducing ultimate consistency, accuracy and ironclad reliability, engineered to take your revolver and lever-action rifle skills to new heights. Performance WheelGun ammunition is precision crafted using premium components and Remington Kleanbore primers. Available in traditional revolver and lever-action bullet styles.



PERFORMANCE WHEELGUN				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
32 H&R MAG	RPW32HR	20021	95	Lead Semi Wad Cutter
32 S&W	RPW32SW	22206	88	Lead Round Nose
32 S&W LONG	RPW32SWL	22210	98	Lead Round Nose
357 MAGNUM	RPW357M5	22223	158	Lead Semi Wad Cutter
38 S&W	RPW38SW	22278	146	Lead Round Nose
38 SPECIAL	RPW38S3	22267	148	Target-Master Wad Cutter
38 SPECIAL	RPW38S6	22271	158	Lead Semi Wad Cutter
38 SPECIAL	RPW38S5	22281	158	Lead Round Nose
38 SHORT COLT	RPW38SC	22273	125	Lead Round Nose
44 S&W SPECIAL	RPW44SW	22333	246	Lead Round Nose
45 COLT	RPW45C1	22338	225	Lead Semi Wad Cutter
45 COLT	RPW45C	22340	250	Lead Round Nose

For more information on ballistics, see pages 108-118.



UMC HANDGUN

All UMC ammunition is made in Lonoke, Arkansas, using first-quality, factory-fresh brass and clean-shooting Kleanbore primers to provide the best value for high volume shooters.



UMC HANDGUN CARTRIDGES

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
5.7X28MM	L5728MM1	R23986	40	FMJ
25 AUTO (6.35MM)	L25AP	23716	50	FMJ
30 SUPER CARRY	L30SC	R20015	100	FMJ
32 AUTO	L32AP	23704	71	FMJ
327 FEDERAL MAGNUM	L327	R20016	100	JHP
357 MAGNUM	L357M12	23738	125	JSP
357 SIG.	L357S1	23734	125	FMJ
38 SUPER AUTO +P	L38SUP	23722	130	FMJ
38 SPECIAL +P	L38S2	23754	125	SJHP
38 SPECIAL	L38S5	23724	158	LRN
38 SPECIAL	L38S11	23730	130	FMJ
380 AUTO	L380AP	23720	95	FMJ
9MM LUGER	L9MM1	23752	115	JHP
9MM LUGER	L9MM2	23718	124	FMJ
9MM LUGER	L9MM3	23728	115	FMJ
9MM LUGER	L9MM9	23732	147	FMJ
10MM AUTO	L10MM6	23706	180	FMJ
40 S&W	L40SW2	23694	180	JHP
40 S&W	L40SW3	23742	180	FMJ
40 S&W	L40SW4	23746	165	FMJ
44 REMINGTON MAGNUM	L44MG7	23744	180	JSP
45 AUTO	L45AP1	23818	185	FMJ
45 AUTO	L45AP4	23726	230	FMJ
45 AUTO	L45AP7	23696	230	JHP

KEY: FMJ = Full Metal Jacket JSP = Jacketed Soft Point JHP = Jacketed Hollow Point LRN = Lead Round Nose SJHP = Semi-Jacketed Hollow Point For more information on ballistics, see pages 108-118.

UMC HANDGUN CARTRIDGES (RANGE BUCKETS)

CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
380 AUTO	L380APBCA	R23978	95	FMJ
38 SPECIAL	L38S11BC	23669	130	FMJ
9MM LUGER	L9MM3BC	23635	115	FMJ
40 S & W	L40SW3BC	23976	180	FMJ
45 AUTO	L45AP4BC	23817	230	FMJ

KEY: JSP = Jacketed Soft Point SJHP = Semi-Jacketed Hollow Point FMJ = Full Metal Jacket LRN = Lead Round Nose

*Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 108-118.



- 1 PROVEN BULLET**
FMJ built to high quality standards
- 2 LEAD CORE**
Manufactured from scratch
- 3 FACTORY-FIRSTS**
Fresh brass, easily reloaded
- 4 RELIABLE COMPONENTS**
Loaded with quality primers and propellants



NEW

UMC LEADLESS

LEAD-FREE RANGE PERFORMANCE



Re-engineered and retooled, UMC Leadless features a new generation of improved, non-lead bullets ready for your range. New Catalyst clean priming technology eliminates lead exposure at the firing line, while copper jacketed compressed core projectiles reduce splash back from steel targets near or far. UMC quality and dependability you trust.

Duplicating the ballistics of conventional core ammunition, **new UMC Leadless is available in 223 Remington and 9mm Luger.**



- ▲ NEW AND IMPROVED BULLET CORE**
New, lead-free core combined with a classic copper jacket duplicates the range performance of traditional FMJ ammunition
- ▲ CATALYST PRIMER**
The industry's leading heavy-metal-free primer is now found in UMC Leadless ammunition
- ▲ ANY RANGE PERFORMANCE**
UMC quality you trust, now with a new option for those required or choosing to shoot lead-free ammo
- ▲ PISTOL, RIFLE, OR PCC**
UMC Leadless is available in common pistol, rifle and PCC cartridge offerings including 9mm Luger and 223 Remington

UMC LEADLESS				
CARTRIDGE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET TYPE
NEW 9MM LUGER	TBD	TBD	TBD	FMJ
NEW 223 REMINGTON	LL223R5B	R21420	55	FMJ

For more information on ballistics, see pages 108-118.

RIMFIRE

NEW RANCH HAND

NEW 22 GOLDEN HUNTER



NEW RANCH HAND	81
NEW 22 GOLDEN HUNTER	81
SUBSONIC	82
22 GOLDEN BULLET	82
22 TARGET	82
CBEE 22	82
NEW AND IMPROVED RIMFIRE	83
22 VIPER	85
22 YELLOW JACKET	85
22 CYCLONE	85
22 THUNDERBOLT	85
PREMIER MAGNUM RIMFIRE	86
MAGNUM RIMFIRE	86

NEW

RANCH HAND

YOUR RIMFIRE RIDE OR DIE

New for 2024, Ranch Hand is Remington's most dependable 22LR round ever made. Featuring our new and improved .22 technology, each round offers Premier high performance in your gun and on your target. Ideal for small game or varmint hunting, Ranch Hand's copper plated projectiles are available in a hollow point or round nose.


Tested to ensure flawless feed, function and fire across all common 22LR handguns and rifles, no matter your firearm of choice. Yeehaw y'all.

PERFORMANCE ON GAME

New priming technology, quality and consistency

IMPROVED RIMFIRE TECHNOLOGY

Remington's improved rimfire manufacturing ensures consistent high quality, accuracy and on-target performance with reliable ignition and longer life for your barrel



SUBSONIC

SUBSONIC – 22 LONG RIFLE LOW VELOCITY

Remington Subsonic delivers superior stealth and consistency below the sound barrier. Its tack-driving rimfire performance is manufactured with tight velocity control to eliminate supersonic cracks. Driving a copper-plated, hollow-point bullet optimized for reduced lead buildup in suppressor ports and maximum effectiveness at lower velocity.



22 GOLDEN BULLET

HIGH VELOCITY – 22 SHORT & 22 LONG RIFLE

Legendary 22 Golden Bullet Plated Round Nose and Hollow Point bullets are engineered for easy cycling and solid performance. High Velocity increases downrange energy, extending your effective range. Improved priming compound ensures consistent ignition at a great value.



NEW

22 GOLDEN HUNTER

RIMFIRE HUNTING'S GOLD STANDARD

Small game beware! Golden Hunter is ready for a 22LR takedown. At home on a squirrel, rabbit, small game, or varmint hunt up to coyote, 22 Golden Hunter reliably expands for quick force transfer on target. The 40-grain hollow point projectile penetrates to optimal depths while performing in any barrel length at common hunting distances. Rifle or pistol, 22 Golden Hunter is your best choice in rimfire hunting rounds.



IMPROVED RIMFIRE TECHNOLOGY

Remington's improved rimfire manufacturing ensures consistent high quality, accuracy and on-target performance with reliable ignition and longer life for your barrel

1 PRECISION HOLLOW POINT

Designed for small game. Fast expansion meets optimal penetration

2 GOLDEN BULLET HERITAGE

22 Golden Hunter builds on the proven performance of 22 Golden Bullet – Remington's most popular rimfire round

3 CAREFULLY ENGINEERED PROPELLANT

Chosen for ideal velocities in rimfire handguns or rifles



22 TARGET

STANDARD VELOCITY – 22 LONG RIFLE

With 40-grain round nose bullets propelled by powder and primer charges of exacting consistency, Remington 22 Target ammunition delivers match-grade precision and championship performance in every round.



CBEE 22

Combines low noise with excellent shot-to-shot consistency. Its 33-grain Plated Truncated-Cone Hollow Point bullet is ideal for dispatching varmints and small game at close range as quietly as possible. Its tiny report makes it an excellent choice for new shooters as well.





NEW AND IMPROVED RIMFIRE

Improved rimfire quality means a new generation of even more dependable rimfire loads from Remington. In 2024, Remington Ranch Hand and 22 Golden Hunter join the family.

What's your go-to 22LR load? Your rimfire ride-or-die needs to be a dependable round that performs with every squeeze of the trigger whether in a handgun and rifle. Regardless your chosen platform, Ranch Hand's round nose and hollow point rounds bring premier performance, quality and accuracy to your rimfire rig. Find more information on page 81.

For the small game hunter, 22 Golden Hunter brings Golden Bullet style to a new precision hollow point. Penetrating to optimal depths with quick expansion, Golden Hunter performs accurately across common hunting distances. See page 81.

Both new loads are backed by Remington's new rimfire technology. They're built for a new era of dependability.

Higher quality, higher standards and a 22 product for every hunter and shooter's need. Look for even more rimfire options coming from the engineers at Remington.



NEW QUALITY. NEW AMMO.

UNDER THE HOOD - REMINGTON RIMFIRE'S IMPROVEMENTS

At the heart of every Remington rimfire round is quality, in-house made components designed to work together. Proudly loaded in Lonoke, Arkansas, look inside a new Remington 22LR round to see the improvements we've made – and why.



- 1 REFORMULATED PRIMING MIX**
A new chemical formulation results in a more energetic mix – meaning less priming compound is used to generate the same velocity as the rimfire rounds you've shot in the past. This more consistent catalyst means more consistent pressure, velocity and better accuracy.
- 2 IMPROVED BRASS WALLS AND RIM**
Thicker, more robust walls and rim handles pressure better and stands up to the highest demands of loading consistency
- 3 SHELL HEAD GEOMETRY**
Updated shell head geometry results in a more even rim cavity for a better hold on priming mix.
- 4 PRECISION LOADING TECHNIQUES**
22LR case fully manufactured before going to loading for consistent length, heading and ultimately bullet seating.

HOW REMINGTON RIMFIRE IS MADE

22 Long Rifle cartridges are made at Remington by the billions. Yet that volume of ammo isn't made easily. Continue reading to explore the steps in our precise production process and discover how Remington manufactures our 22 daily.

- CORE**
Bullet core formed from lead strip into the rough size and grain weight of a finished projectile
- PLATING**
Core is plated with brass or copper jacket for tough performance on target
- BULLET FORMING**
Bullet's nose, heel and diving band formed in a press, grooves added
- BRASS CUP & DRAW**
Brass is stamped out of a sheet and formed into a cup, then drawn up to begin the shell making process
- 2ND DRAW**
Brass continues to be worked with a series of dies and punches to lengthen shell and begin forming the mouth of the bullet
- HEADSTAMP**
Rim of the bullet and internal geometry of shell finished, new Remington R added
- PRIMING**
Priming mix inserted into rim cavity then dried
- LOADING**
In a proprietary process, Remington 22LR shells, propellant and projectile come together at high speed, resulting in a finished cartridge. Each loaded round is inspected by both modern technology and proud American manufacturing employees to ensure quality.



22 VIPER

HYPER VELOCITY – 22 LONG RIFLE

These Plated Truncated Cone Solid Bullets are renowned for their smooth feeding in any automatic pistol or rifle. The large diameter of the flat nose imparts tremendous shock at the entry point, while the solid bullet retains all of its weight to penetrate deep. These hyper-velocity loads hold their own at the target board as well. For fast-striking, 22 performance, Viper can't be beat.



22 YELLOW JACKET

HYPER VELOCITY – 22 LONG RIFLE

22 Yellow Jack brings the smooth feeding and excellent penetration of a Truncated Cone combined with the stopping power and massive wound channel of a hollow point. These bullets are specially designed to deliver maximum on-game energy with excellent precision. Yellow Jacket leaves a hyper-velocity sting wherever they're dispatched.



22 CYCLONE

HIGH VELOCITY – 22 LONG RIFLE

Tin cans. Rabbits. Or a bulls-eye. High velocity increases downrange energy, extending your effective range with 38-grain hollow point terminal performance. No matter what you put in your sights, Remington Cyclone is the perfect 22 rimfire ammunition for just about any occasion.



22 THUNDERBOLT


HIGH VELOCITY – 22 LONG RIFLE

They've become the outstanding favorite of 22 owners the world over. These round nose bullets in high-velocity loads cover the broadest range of 22-caliber excitement. No wonder 22 Thunderbolt is our best-selling and most popular round of all time.



PREMIER MAGNUM RIMFIRE & MAGNUM RIMFIRE

Premier Magnum Rimfire cartridges are super-tuned to deliver unmatched shot-to-shot consistency, pin-point accuracy and explosive terminal performance. It's the ultimate choice for small game and varmint hunting. Available in 17 HMR and 22 WIN Mag.



Premier Magnum Rimfire 17 HMR 17-grain bullet shows explosive energy transfer on impact

RIMFIRE – 50 PACKS					
PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
17 HMR	R17HM1	20023	17	JHP	High Velocity, 2530
17 HMR	R17HM2	20025	20	PSP	High Velocity, 2375
17 HMR	PR17HM1	28464	17	ATV BT	High Velocity, 2550
22 WIN MAG	PR22M1	21184	33	ATV BT	High Velocity, 2000
22 WIN MAG	R22M1	21170	40	JHP	High Velocity, 1910
22 WIN MAG	R22M2	21172	40	PSP	High Velocity, 1910
22 SHORT GOLDEN BULLET	1022	21000	29	PRN	High Velocity, 1095
22 LR GOLDEN BULLET	1622	21008	36	PHP	High Velocity, 1280
22 LR GOLDEN BULLET	1522	21006	40	PRN	High Velocity, 1255
22 CBEE	CB-22L100	21119	33	PTCHP	Low Velocity, 740
22 YELLOW JACKET	1722	21074	33	PTCHP	Hyper Velocity, 1500
22 VIPER	1922	21080	36	PTCS	Hyper Velocity, 1410
22 TARGET	6122	21022	40	LRN	Standard Velocity, 1150
22 THUNDERBOLT	TB-22A	21238	40	LRN	High Velocity, 1255
22 CYCLONE	CY-22HP	21222	36	LHP	High Velocity, 1280
SUBSONIC 22	S22HPA	21135	40	CPT	Low Velocity, 1050

RIMFIRE – 100 PACKS					
PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 SHORT GOLDEN BULLET	1000	21001	29	PRN	High Velocity, 1095
22 LR GOLDEN BULLET	1600	21278	36	PHP	High Velocity, 1280
22 LR GOLDEN BULLET	1500	21276	40	PRN	High Velocity, 1255
NEW 22 GOLDEN HUNTER	GBH22	R21251	40	Plated HP	High Velocity, 1255
NEW RANCH HAND	RH22RN	R21263	40	Plated RN	High Velocity, 1255
NEW RANCH HAND	RH22	R21273	40	Plated HP	High Velocity, 1255
22 YELLOW JACKET	1700	21280	33	PTCHP	Hyper Velocity, 1500
22 VIPER	1900	21288	36	PTCS	Hyper Velocity, 1410
22 TARGET	6100	21284	40	LRN	Standard Velocity, 1150
SUBSONIC 22	S22HP1A	21137	40	CPT	Low Velocity, 1050
22 CBEE	CB-22L100	21119	33	PTCHP	Low Noise, Low Velocity, 740

RIMFIRE – 225 PACKS					
PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 LR GOLDEN BULLET	1622E	21229	36	PHP	High Velocity, 1280
22 LR GOLDEN BULLET JACKET	YJ225	21233	33	TCHP	High Velocity, 1500
22 LR VIPER	VP225	21239	36	TCSB	High Velocity, 1410
22 LR SUBSONIC	SS225	21249	40	CPHP	High Velocity, 1050

RIMFIRE – 500 PACKS					
PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 THUNDERBOLT	TB-22B	21241	40	LRN	High Velocity, 1255

RIMFIRE – 525 PACKS					
PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 GOLDEN BULLET	1622C	21250	36	PHP	High Velocity, 1280
NEW 22 GOLDEN HUNTER	GBH22B	R21253	40	Plated HP	High Velocity, 1255

RIMFIRE – 1400 PACKS					
PRODUCT LINE	INDEX NO.	ORDER NO.	BULLET WT. (GR.)	BULLET STYLE	VELOCITY
22 GOLDEN BULLET	1622B	21231	36	PHP	High Velocity, 1280

KEY: JHP = Jacketed Hollow Point SJHP = Semi-Jacketed Hollow Point SP = Soft Point
 PSP = Pointed Soft Point PRN = Plated Round Nose PHP = Plated Hollow Point
 PTCHP = Plated Truncated Cone HP PTCS = Plated Truncated Cone Solid AT = Accutip
 LRN = Lead Round Nose LHP = Lead Hollow Point CPT = Copper Plated Tip
 For more information on ballistics, see pages 108-118.

ACCESSORIES



NEW 2024 BULLET KNIFE – THE WATERFOWLER89


REM OIL.....91

SOLVENTS, LUBES, & CLEANERS92

CLEANING & STORAGE93

NEW RANGE BAGS & GUN CASES95

2024 WATERFOWLER BULLET KNIFE



THE REMINGTON ART COLLECTION

As in years past, the Bullet Knife is accompanied by a unique work of art. 2024's Waterfowler is celebrated in "Tangled Moment" painted by award-winning wildlife artist Scot Storm.



INTRODUCING 2024'S WATERFOWLER

THE BULLET KNIFE REBORN

Some say America's days of manufacturing are over. They say the steel that forged this great nation - in factories across our land and inside every citizen - just isn't as tough as it used to be.

Remington begs to differ.

Building on a century long cutlery tradition, Remington proudly introduces the limited edition, hand crafted, American-made Bullet Knife, The Waterfowler.

CELEBRATE THE ANNUAL TRADITION

Remington's iconic Bullet Knife; hailed as America's most collectible pocket knife.

PROUDLY MADE IN THE USA

Handmade assembled, and finished to the highest standards by skilled American craftsman using premier materials

A GENERATIONAL ICON

Durable 1095 Carbon Steel Blades with a Rockwell hardness of 56-59 RC means this heirloom knife will stand the test of time to be handed down to the next generation

CUTTING-EDGE FEATURES & TIMELESS DESIGN

1095 Carbon Steel Clip point, long spey partially serrated blade, a birding gut hook and the famous nickel silver Bullet Shield inlayed in a genuine jigsaw bone handle.



Purchase now at
[Remington.com](https://www.Remington.com)



REM OIL

The quick, easy way to keep your firearms performing to their full potential. Rem Oil cleans dirt and grime from exposed metal surfaces, while displacing non-visible moisture from metal pores. It also protects internal and external metal parts from rust and corrosion. And the exclusive formula creates a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear.

Available in:
 10-oz. Aerosol Can (#24027)
 6-oz. Spray Pump (Moistureguard) (#18378)
 4-oz. Aerosol Can (#26610)
 2-oz. Squeeze Bottle with Child Safe Cap (#18366)
 1-oz. Squeeze Bottle with Child Safe Cap (#26617)



REM OIL WIPES

Rem Oil Wipes are an efficient way to protect your firearms. Each wipe is treated with Rem Oil, for a quick and easy application of one of the world's most trusted cleaners and lubricants. The individually packaged Rem Oil Wipes are convenient for travel or in your field pack, while the sixty-count canister is a perfect companion for everyone's workbench.

Available in:
 Travel Size (24 Count) (#16325)
 60-Count Pop-Up Canister (#18384)
 12 Individually Wrapped 6" x 8" Wipes (#18411)
 Single Packs In Counter Display (#18471)



REM DRILUBE

Formulated for superior lubricity without leaving any dust collecting residue behind and is perfect for protecting your firearm in sub-zero temperatures

Rem DriLube lubricant provides a tough, non-congealing film without the residue of dry graphite lubes

Keeps firearms functioning dependably to -40°F

Available in:
 4-oz. Aerosol Can (#18396)



SHOTGUN CLEANER

Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes

Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk

Blasts away gummy caked-on grime from hard-to-reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses

Available in:
 18-oz. Aerosol Can (#18472)



BRITE BORE SOLVENT

Dissolves carbon and powder fouling, removes copper, lead and plastic deposits

Handy size for field or range use

Low odor—contains no CFCs

Available in:
 6-oz. Aerosol Can (#18394)
 2-oz. Squeeze Bottle with Child Safe Cap (#18367)



40-X BORE CLEANER

Formerly Remington Bore Cleaner

40-X name ties into the product's origins in Precision Benchrest Shooting

Formulated for rifles to improve cleaning, accuracy and performance

Fast and easy to use—no soaking or foul odors

Contains high polishing compounds to make your bore mirror-clean

Available in:
 4-oz. Squeeze Bottle with Child Safe Cap (#18397)



REM ACTION CLEANER

Designed to ensure smooth, reliable gun function in all weather conditions

Cleans dirt, powder residue, and caked on lubricants from actions & fire control mechanisms without disassembly

Dissolves used lubricants, including grease and oils to produce a clean, dry surface

Quick drying; leaves no residue

Contains no CFC's or Carcinogens

Available in:
 4-oz. Aerosol Can (#19925)
 10-oz. Aerosol Can (#18395)



REM GUN GREASE

Biodegradable and non-toxic
 Non-melt formula

Non-Melt Formula

Wide temperature range from -20F to 500F

Protects all sliding parts, threads and hinge points

Protects against rust and corrosion

Safe for finished stocks, coated metals and polymer parts

Available in:
 .5-oz. Squeeze Bottle (#18501)



NEW

LEAD REMOVING WIPES

Wipes away most metal, dust, and debris from your hands, arms, face, and body.

Pre-moistened with gentle pH balanced skin solution

Neutralizes static charge of metal dust

Extremely convenient and portable

Made 100% in the USA

Available in 60-count Pop-Up Cannister

#RLRW



METAL FIELD BOX / AMMO CAN

- 30 caliber
- Heavy duty latching system
- Folding handle

#15807



PLASTIC FIELD BOX / AMMO CAN

- 30 caliber
- Waterproof polypropylene provides dry storage
- Heavy duty latching system
- Strong folding handle

#15808



REM BORE LIGHT EXTENDED FLEX

Flexible neck for hard to see and reach places

High intensity LED light beam

Illuminates entire bore

Exposes nicks, scratches, pitting & fouling

Convenient click On/Off button

Applicable for all calibers & gauges

#19531: Size 10"x 3" x 0.75"



REM CLOTH WITH MOISTUREGUARD

- 10" x 10" non-abrasive cloth
- Instantly protects metal surfaces
- Safe on blued, and all metal finishes
- Reusable—includes zip seal pouch
- Washable and can be re-energized by retreating with Rem Oil with MoistureGuard

#19902



12" GUN SACK WITH SILICONE

- 12" Pistol
- Silicon treated
- Multi-color green
- Draw string closure

#17269



52" GUN SACK WITH SILICONE

- 52" Long Gun
- Silicon treated
- Multi-color green
- Draw string closure

#18494



SPORTMAN CLEANING KIT

3-piece aluminum cleaning rod threaded to accept #8-32 brushes and accessories

Integral swivel handle to ensure proper rotation during cleaning

Brass pistol adapter

Aluminum shotgun brush adapter

An assortment of the most popular brush and mop sizes

Large and small slotted patch pullers

50 cleaning patches

Brass and nylon utility cleaning brushes

Brushes included:

Pistol: .38; .40; .45

Shotgun: .410 Bore; 20 ga; 12 ga

Rifle: .22; .25; 270; 30

Mops: 22; 30; .410 Bore; 20 ga; 12 ga

#19054 DIMs: 15" x 6.75"



MODEL 365 DEHUMIDIFIER

- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Protects 333 cubic feet

#19950



MODEL 500 DEHUMIDIFIER

- Works in a 500-cubic-foot area
- No battery or cord needed
- Works up to 10 years
- Non-toxic, child and pet safe
- Eco-friendly

#19946



GUN CARE AVAILABLE ON REMINGTON.COM



NEW
**RANGE BAGS
 & GUN CASES**

Designed by hunters and shooters for the range, field and blind. Remington's full line of gun cases, shell pouches and range bags are built for convenience, protection, and accessibility. You'd be hard pressed to find a style that doesn't suit the needs of your pistol, shotgun, or rifle pursuit.

PREMIER

Remington Premier quality, now in our top-tier cases and pouches. Built rugged to provide ultimate protection and withstand the toughest conditions. Features brass hardware and real leather accents.



Premier Shell Pouch #RSP



Premier Scoped Rifle case #RPSRC44 / #RPSRC48



Premier Range Bag #RPRB



Premier Shotgun case #RPSC48 / #RPSC52



Neoprene Sleeve #RNGS52



Trifold Gun Case #RTFGC52

FIRST IN THE FIELD

Upgraded and built to last. Features foam padding, detachable slings, and zippered pockets. Available in OD Green and Mossy Oak Bottomland.



First in the Field Shotgun Case: #RFFSC48 / #RFFSC52



First in the Field Scoped Rifle Case #RFFSRC44 / #RFFSRC48

GUN CLUB®

Waterproof and durable. The Gun Club line's affordable firearm accessories are a go-to for everyone and for every budget.



Gun Club Shell Pouch #RGCCSBP



Gun Club Range Bag #RGCRB



Gun Club Combo Shell Hull Bag #RGCCSHB



Gun Club Rifle Case #RSRC40 / #RSRC48



Gun Club Shotgun Case #RGCS52

REMINGTON LICENSED PRODUCTS



BIG GREEN IS BACK

Featuring an expanded roster of trusted partners, Remington is proud to bring you an assortment of new gear and gifts for your Remington lifestyle in the field, range and home. We are always seeking quality partners to represent our brand's lifestyle in new product categories. Contact Danny Evans at danny.evans@remington.com.



GUN SAFES.....	99
HARD & SOFT COOLERS	102
DÉCOR & CLOTHING.....	103
ATV, TRAILERS, & HUNTING BLINDS	106



NEW REMINGTON SAFES
GUN CLUB SERIES

Fire, water, smoke, and theft protection for your guns in a sleek package that features a quilted door organizer and sleek Black Metallic Hammertone finish.

- Fire-Rated - 40 min at 1,500°F
- Waterproof for 7 days in up to 2 ft. of standing water
- Fully programmable SecuRam UL Rated electronic lock and 2 Fail Safe override keys
- Nine 1.25" solid steel locking bolts – 6 active locking bolts, 3 deadbolts
- Durable construction
- Premium design
- Exclusive features

- AVAILABLE IN:**
- **12 Gun** 59"x18.5"x17", 6.47cu. ft., 258 lbs. (#SAR5912GC)
 - **20 Gun** 59"x24.5"x21", 11.08 cu. ft., 309 lbs. (#SAR5920GC)
 - **26 Gun** 59"x28.5"x22", 14.76 cu. ft., 357 lbs. (#SAR5926GC)
 - **36 Gun** 59"x36"x24", 20.09 cu. ft., 547 lbs. (#SAR5936GC)
 - **52 Gun** 59"x40"x26", 24.97 cu. ft., 675 lbs. (#SAR5952GC)



NEW REMINGTON SAFES
BIG GREEN SERIES

Large capacity safe with a high level of theft, fire, water, and smoke protection in a beautiful Bronze Green Metallic finish.

- 80 long gun barrel rest positions + 8 handgun holsters + 2 quick access long gun pockets
- Fireproof for 90 minutes in temperatures up to 1650°F
- Waterproof for 7 days in up to 2ft. of standing water
- Fully programmable SecuRam UL Rated backlit electronic lock and 2 Fail Safe override keys
- 14 steel locking bolts – ten 1.5" active locking bolts and four 1.5" deadbolts
- Bright interior lighting and a UL
- Rated dual power outlet with 2 USB ports
- Durable construction
- Premium design
- Exclusive features

- AVAILABLE IN:**
- **84 Gun: OD: 65" x 56" x 27.5", Interior: 36.64 cu. ft., 1141 lbs. (#SAR6584-BG)**



STS SERIES

Ultimate security, combining protection against fire, water, smoke, and theft with luxury features such as an ultra-premium quilted door organization, brass wheel handle, interior lighting, and STS Sage Green Metallic Gloss exterior.

- Fire Rated 120 minutes @ 1,800° F
- Waterproof in 2' for 7 days
- SecuRam UL Rated Backlit E-Lock
- Triple Seal Protection against fire, smoke, and theft
- Unique brass wheel handle
- Zero-Sag steel reinforced top shelf
- UL-listed dual outlet and USB ports
- Factory-installed motion sensor LED lights
- Durable construction
- Premium design
- Exclusive features

- AVAILABLE IN:**
- **30-Gun** 65"H x 32"W x 26"D 17.98 cu ft • 955 lbs (#SAR6530S)
 - **40-Gun** 65"H x 36"W x 28"D 22.78 cu ft • 1047 lbs (#SAR6540S)
 - **50-Gun** 65"H x 40"W x 29.5"D 28.12 cu ft • 1140 lbs (#SAR6550S)
 - **60-Gun** 65"H x 44"W x 32"D 34.01 cu ft • 1244 lbs (#SAR6560S)





SA CONSUMER PRODUCTS

NITRO SERIES

Elevated protection against fire, water, smoke, and theft with a premium quilted door organizer, quilted vinyl side walls, interior lighting, and a Seltzer Gray Metallic Gloss exterior.

- Fire Rated – 90 min at 1,800°F
- Waterproof for 7-days in up to 2 ft. of standing water
- SecuRam UL-rated backlit E-Lock
- Triple Seal Protection against fire, smoke, and theft
- Black chrome hub and 5-spoke handle with carbon fiber accents
- Durable construction
- Premium design
- Exclusive features

AVAILABLE IN:

- **26-Gun** 65"H x 29.5"W x 24"D 14.94 cu ft • 825 lbs (#SAR6526N)
- **36-Gun** 65"H x 34"W x 26"D 19.32 cu ft • 904 lbs (#SAR6536N)
- **46-Gun** 65"H x 38"W x 28"D 24.25 cu ft • 982 lbs (#SAR6546N)
- **56-Gun** 65"H x 42"W x 32"D 32.26 cu ft • 1076 lbs (#SAR6556N)

EXPRESS SERIES

Premium protection against fire, water, smoke, and theft with features such as quilted door organization, interior lighting, and a sleek Black Satin Metallic exterior.

- Fire Rated – 60 min at 1,650°F
- Waterproof for 7-days in up to 2 ft. of standing water
- Fully programmable UL Rated SecuRam Electronic Lock
- 12-gauge steel body with a full seam Uni-Weld construction
- Premium design
- Exclusive features

AVAILABLE IN:

- **24-Gun** 59"H x 28"W x 22"D 12.38 cu ft • 552 lbs (#SAR5924E)
- **34-Gun** 59"H x 32"W x 23.5"D 15.77 cu ft • 607 lbs (#SAR5934E)
- **44-Gun** 59"H x 36"W x 23.5"D 18.01 cu ft • 629 lbs (#SAR5944E)
- **60 Gun** 59" x 42" x 27.5", 25.28 cu. ft., 845 lbs. (#SAR9660E-XLR)



SA CONSUMER PRODUCTS



AVAILABLE IN:

- **White** (#REM-RC25W)
- **Tan** (#REM-RC25T)
- **Olive Drab** (#REM-RC25-757)
- **Grey** (#REM-RC25-425)

25-QUART PREMIUM INSULATED COOLER

- Double-wall rotomolded construction
- Integrated lid hinge allows for easy open/close
- Durable rubber lid latches keep contents secure
- Ergonomic easy carry stainless handle with rubber overmolding
- Lock-down corners for bear-proofing
- Anti-slide foot pads prevent spillage during transport
- Heavy duty rubber latches and an a-ring barrier provide an air tight seal
- Rapid flow drain system removes water quickly and efficiently
- Ice retention 3-4+ days
- Also available in 70 & 150-Quart sizes



30-CAN FOLDING BACKPACK COOLER

- Heavy duty nylon shell with thick foam insulation
- Puncture and tear resistant
- Additional front, side, and top pockets with comfort pull zippers
- Ultra-comfortable backpack straps
- Ice retention 1-2 days
- Adaptable Air Valve Technology
- #REM-TCBP30



42-CAN ZIPPERED BACKPACK COOLER

- Heavy duty nylon shell with thick foam insulation
- Puncture and tear resistant
- Additional front, side, and top pockets with comfort pull zippers
- Ultra-comfortable backpack straps
- Ice retention 1-2 days
- #REM-TCBP42



WATERPROOF DUFFLE BAG

- Heavy duty nylon shell construction
- EVA molded bottom
- Thick & durable waterproof base
- Puncture and tear resistant
- Exchangeable backpack or carry straps
- #REM-TSD530

DECOR & MORE BY SMOKY MOUNTAIN KNIFE WORKS



2023 Remington Bullet Knife and Silver Bullet Knife available from SMKW.

APPAREL BY TRUE TIMBER



DECOR BY OPEN ROADS



DECOR BY DESPERATE ENTERPRISES



Shop Clothing by GANKA



CALENDARS BY ASHGROVE MARKETING



CONCEALED CARRY BAGS



STORAGE BY IRIS USA



REMINGTON PURSUIT 750

BOLDLY NAVIGATE ENDLESS POSSIBILITIES.

- Electronic fuel injection
- Liquid cooling
- Automatic transmission
- CVT clutch
- 4-wheel drive with locking differential
- Nitrogen assisted shocks
- Available in green, desert tan & True Timber Prairie camo.
- 2-year limited warranty



REMINGTON HUNTING TRAILERS BUILT FOR QUADS, ATVS AND EXTREME ADVENTURE

R-410 for lightweight hunting

DIMs: 9'6" x 4' 10" x 4' 11"

Wt.: 600 lbs. Suspension load: 2000 lbs.

R-20 the ultimate mid-size hunting trailer

DIMs: 10' 2" x 5' 3" x 4' 11" Wt: 700lbs.

Suspension load: 2000lbs.

R-12 built for the most rugged terrain

DIMs: 12'2" x 6' 3" x 5' 9" Wt.: 1500 lbs.

Suspension load: 3500 lbs.



**ASSEMBLES
IN LESS THAN
1-HOUR**

ELEVATE YOUR HUNT WITH REMINGTON HUNTING BLINDS.

- Patented dirt finish for natural aesthetic; adapts to the weather and lighting
- Allows for moss and natural vegetation growth; use Mother Nature to your advantage
- Light weight modular design
- Precut window locations with Trim-Lok edging
- Universal fit windows available in clear, tinted, blackout, or clear with camo stealth screen*
- Black interior finish to shade the hunter and eliminate shadows or glares
- Non-skid flooring surface
- Elevated platforms available
- 5 Year Structural Warranty**

*Windows sold separately ** Some exclusions apply

MODEL INFO:

CAM-LOCK 828 DIMs: 5"W x 65"D x 92"H Weight: 230 lbs

CAM-LOCK 428 DIMs: 51"W x 51"D x 90"H Weight: 170 lbs

SPECIFICATIONS

INTERCHANGEABILITY CHART

CARTRIDGES WITHIN GROUPS SHOWN ARE INTERCHANGEABLE.

Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

CENTERFIRE	
25-20 Remington	32-20 Win (SEE NOTE A)
25-20 W.C.F.	32-20 Marlin (SEE NOTE G)
25-20 Win	38 S&W
25-20 Win High Speed	38 Colt New Police
25-20 Marlin	380 Webley
25 W.C.F.	38 Colt Special (SEE NOTE B & D)
6mm Remington	38 S&W Special (SEE NOTE B & D)
244 Remington	38 S&W Special Mid-Range (SEE NOTE B & D)
25 Automatic	38 Special Targetmaster (SEE NOTE B & D)
5 Auto. Colt Pistol (ACP)	38 Special +P (SEE NOTE B & D)
25 (6.35mm) Automatic	38-44 Special +P (SEE NOTE B & D)
6.35mm Browning	38 Special (SEE NOTE B & D)
7mm Express, Remington	38 Special Flat Point (SEE NOTE B & D)
280 Remington	38 Short Colt in 38 Long Colt but not conversely. Both can be used in 38 Special.
30-30 Sav.	38 Marlin (SEE NOTE A)
30-30 Win	38 Win (SEE NOTE A)
30-30 Win Accelerator (SEE NOTE A)	38 Remington (SEE NOTE A)
30-30 Marlin	38-40 Win (SEE NOTE A)
30-30 Win High Speed	38 W.C.F. (SEE NOTE A)
30 W.C.F.	38 Automatic in 38 Super +P - but not conversely
32 Colt Automatic	380 Automatic
32 Auto. Colt Pistol (ACP)	9mm Browning Short (Corto Kurz)
32 (7.65mm) Automatic	9mm Luger (SEE NOTE E)
7.65mm Automatic Pistol	9mm Parabellum (SEE NOTE E)
7.65mm Browning (not interchangeable with 7.65mm Luger)	44 S&W Special (SEE NOTE F)
32 Short Colt in 32 Long Colt but not conversely (SEE NOTE C)	44 Marlin
32 S&W in 32 S&W Long but not conversely	44 Win
32 S&W Long	44 Remington
32 Colt New Police	44-40 Win
32 Colt Police Positive	44 W.C.F.
32 W.C.F. (SEE NOTE A)	45-70 Government
2 Win (SEE NOTE A)	45-70 Marlin
32-20 Win. High Speed (SEE NOTE A)	45-70 Win
32-20 Colt L.M.R. (SEE NOTE G)	45-70-405
32-20 W.C.F. (SEE NOTE G)	
RIMFIRE	
	22 W.R.F.
	22 Remington Special
	22 Win. in a 22 Win. Mag. Rimfire - but not conversely

NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.

NOTE B: Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

NOTE C: Not for use in revolvers chambered for 32 S&W or 32 S&W Long.

NOTE D: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE E: 9mm sub machine gun cartridges should not be used in handguns.

NOTE F: 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely.

NOTE G: Not to be used in Win. M-66 and M-73.



2024
AMERICAN HUNTER
GOLDEN
BULLSEYE
AWARD

CARTRIDGE	INDEX/ EDI NO.	ORDER NO.	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS)					ENERGY (FT-LB)					TRAJECTORY (INCHES)					BALLISTIC COEFFICIENT			
								MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	MUZZLE	100	200		300	400	500
17 Remington Fireball	PRA17FB	29165	20	AccuTip-V	7½	1.5	200	4000	3380	2840	2360	1930	1555	710	507	358	247	165	107	-1.5	0.8	0.0	-5.1	-16.6	-37.6	0.185
	L17FBV	28472	25	Jacketed Hollow Point	7½	1.5	200	3850	3273	2767	2313	1905	1547	823	595	425	297	201	133	-1.5	0.9	0.0	-5.5	-17.6	-39.3	0.193
17 Remington	PRA17RA	29162	20	AccuTip-V	7½	1.5	200	4250	3594	3028	2529	2081	1684	802	574	407	284	192	126	-1.5	0.6	0.0	-4.4	-14.4	-32.5	0.185
	R17R2	28460	25	Hollow Point	7½	1.5	200	4040	3420	2861	2402	1972	1594	906	649	461	320	216	141	-1.5	0.8	0.0	-5.0	-16.1	-36.3	0.187
204 Ruger	PRA204A	29218	32	AccuTip-V	7½	1.5	200	4225	3645	3137	2683	2272	1899	1268	944	699	512	367	256	-1.5	0.6	0.0	-4.1	-13.1	-29.0	0.210
	PRA204B	29220	40	AccuTip-V Boat Tail	7½	1.5	200	3900	3482	3103	2755	2433	2133	1351	1077	855	674	526	404	-1.5	0.7	0.0	-4.3	-13.2	-28.1	0.275
22 Hornet	PRA22HNA	29154	35	AccuTip-V	6½	1.5	100	3100	2271	1590	1126	—	—	747	401	197	99	—	—	-1.5	0.0	0.0	-5.6	-25.5	—	0.109
	R22HN1	28376	45	Pointed Soft Point	6½	1.5	100	2690	2044	1505	1130	—	—	723	417	226	128	—	—	-1.5	0.0	-7.1	-30.0	—	—	0.130
220 Swift	R220S1	21297	50	Pointed Soft Point	6½	1.5	200	2690	2044	1505	1130	—	—	723	417	226	128	—	—	-1.5	0.0	-7.1	-30.0	—	—	0.130
	R220S1	21297	50	Pointed Soft Point	6½	1.5	200	3780	3158	2617	2135	1710	1357	1586	1107	760	506	325	204	-1.5	1.0	0.0	-6.2	-20.1	-46.1	0.175
221 Remington Fireball	PRA221FB	29172	50	AccuTip-V Boat Tail	7½	1.5	200	2995	2605	2246	1917	1621	1368	996	753	560	408	292	208	-1.5	1.8	0.0	-8.8	-27.1	-58.8	0.238
222 Remington	R222R1	21303	50	Pointed Soft Point	7½	1.5	200	3140	2601	2121	1697	1347	1105	1094	751	499	320	202	136	-1.5	1.9	0.0	-9.7	-31.8	-73.1	0.175
	PRA222RB	29174	50	AccuTip-V Boat Tail	7½	1.5	200	3140	2743	2380	2045	1740	1471	1094	835	629	464	336	240	-1.5	1.6	0.0	-7.8	-23.9	-61.7	0.242
223 Remington	L223R3	23711	55	Full Metal Jacket	7½	1.5	200	3240	2759	2325	1933	1586	1300	1282	929	660	456	307	206	-1.5	1.6	0.0	-8.1	-25.6	-57.1	0.202
	L223R7	23748	45	Jacketed Hollow Point	7½	1.5	200	3550	2953	2430	1963	1559	1241	1259	871	590	385	243	154	-1.5	1.3	0.0	-7.3	-23.7	-54.7	0.173
	L223R8	23812	50	Jacketed Hollow Point	7½	1.5	200	3425	2899	2430	2007	1633	1324	1302	933	655	447	296	195	-1.5	1.3	0.0	-7.3	-23.4	-52.7	0.192
	PRA223RB	29184	50	AccuTip-V Boat Tail	7½	1.5	200	3410	2989	2605	2252	1928	1635	1291	992	753	563	413	297	-1.5	1.2	0.0	-6.4	-19.7	-42.4	0.242
	PRA223RC	29192	55	AccuTip-V	7½	1.5	200	3240	2854	2500	2172	1871	1598	1282	995	763	576	427	312	-1.5	1.4	0.0	-7.0	-21.4	-45.9	0.255
	R223R8	22111	62	Core-Lok Ultra Bonded PSP	7½	2.5	200	3100	2700	2328	1986	1678	1411	1323	1004	746	543	388	274	-2.5	1.2	0.0	-7.6	-24.2	-53.2	0.234
	R223R1	28399	55	Pointed Soft Point	7½	1.5	200	3240	2747	2304	1904	1554	1270	1282	921	648	443	295	197	-1.5	1.6	0.0	-8.2	-26.2	-58.7	0.197
	LL223R5B	R21420	55	Lead-Free Jacketed, Powdered Metal Core, Frangible	7½	HMF	1.5	200	3190	2714	2285	1898	1557	1281	1241	889	638	440	296	200	-1.5	1.6	0.0	-8.4	-26.5	-59.2
22-250 Remington	RD223R4	22107	62	Core-Lok Ultra Bonded PSP	7½	2.5	200	3100	2700	2328	1986	1678	1411	1323	1004	746	543	388	274	-2.5	1.17	0.0	-7.6	-24.2	-53.2	0.234
	RM223R2R	27682	52	Hollow Point Match	7½	2.5	200	3200	2815	2461	2134	1833	1563	1182	915	699	526	388	282	-2.5	1.0	0.0	-6.7	-21.2	-46.1	0.253
	R223R6	22106	62	Open Tip Match	7½	2.5	200	3025	2572	2162	1792	1471	1218	1260	911	644	442	298	204	-2.5	1.4	0.0	-8.9	-28.9	-65.0	0.205
	RM223R1	27680	69	MatchKing BTHP +++	7½	2.5	200	3000	2720	2456	2208	1974	1756	1379	1133	924	747	597	472	-2.5	1.1	0.0	-6.9	-21.0	-44.0	0.336
	RM223R3	27686	77	MatchKing BTHP ++	7½	2.5	200	2790	2539	2304	2081	1871	1676	1329	1102	907	740	598	480	-2.5	1.5	0.0	-8.0	-24.1	-50.2	0.362
	L22503	23750	45	Jacketed Hollow Point	9½	1.5	200	4000	3340	2770	2267	1820	1441	1598	1114	767	513	331	207	-1.5	0.8	0.0	-5.4	-17.7	-40.7	0.173
224 Valkyrie	L22504	23813	50	Jacketed Hollow Point	9½	1.5	200	3820	3245	2739	2286	1878	1523	1620	1169	833	580	392	258	-1.5	0.9	0.0	-5.6	-18.0	-40.3	0.192
	PRA2250RB	29186	50	AccuTip-V Boat Tail	9½	1.5	200	3800	3339	2925	2546	2198	1878	1603	1238	949	720	536	392	-1.5	0.8	0.0	-4.9	-15.2	-32.8	0.242
6mm Remington	R22501	21311	55	Pointed Soft Point	9½	1.5	200	3680	3136	2654	2220	1829	1490	1654	1201	860	602	409	271	-1.5	1.0	0.0	-6.0	-19.2	-42.9	0.197
	L224VK	21203	75	Full Metal Jacket	9½	1.5	100	3000	2763	2539	2325	2122	1929	1499	1272	1073	900	750	619	-1.5	0.0	-3.1	-11.5	—	—	0.400
	RM224VK	21201	90	MatchKing OTM	7½	1.5	100	2700	2542	2388	2241	2098	1961	1457	1291	1140	1003	880	768	-1.5	0.0	-3.8	-13.9	—	—	0.274
	PRA224VK	21202	60	AccuTip-V	7½	1.5	100	3300	2923	2577	2255	1958	1687	1451	1138	884	678	511	379	-1.5	0.0	-2.6	-10.4	—	—	0.265
6mm Creedmoor	R6MM4	29051	100	Core-Lok Pointed Soft Point	9½	1.5	200	3100	2829	2574	2333	2104	1890	2133	1777	1471	1208	983	793	-1.5	1.4	0.0	-6.7	-19.8	-40.8	0.356
	RM6CRD	20001	107	MatchKing OTM	9½	1.5	200	3000	2826	2658	2497	2341	2191	2138	1897	1679	1481	1302	1140	-1.5	1.4	0.0	-6.4	-18.2	-36.6	0.547
243 WIN	R6CM01	29049	100	Core-Lok Pointed Soft Point	9½	1.5	200	3000	2656	2337	2041	1768	1524	1999	1567	1214	925	695	516	-1.5	1.7	0.0	-8.1	-24.7	-52.4	0.272
	PRA243WB	29194	75	AccuTip-V Boat Tail	9½	1.5	200	3375	3065	2775	2504	2248	2008	1897	1564	1282	1044	842	671	-1.5	1.1	0.0	-5.6	-16.8	-35.0	0.330
25-06 Remington	R243W1	27800	80	Pointed Soft Point	9½	1.5	200	3350	2955	2593	2258	1949	—	1993	1550	1194	906	675	—	-1.5	1.3	0.0	-6.5	-19.8	—	0.255
	RCC243W1	R27856	85	Core-Lok Copper	9½	1.5	200	3200	2783	2403	2054	1737	1459	3410	2580	1923	1405	1004	709	-1.5	1.5	0	-7.6	-23.5	-51.1	0.233
	PRSC243WA	29320	90	Swift Scirocco Bonded	9½	1.5	200	3120	2871	2635	2411	2199	1997	1946	1647	1388	1162	966	797	-1.5	1.4	0.0	-6.4	-18.7	-38.4	0.390
	RT243WA	29015	95	Core-Lok Tipped	9½	1.5	200	3140	2866	2608	2364	2134	1916	2189	1823	1510	1241	1011	815	-1.5	1.4	0.0	-6.5	-19.2	-39.7	0.355
	R243W3	27802	100	Core-Lok Pointed Soft Point	9½	1.5	200	2960	2697	2449	2215	1993	1786	1945	1615	1332	1089	882	708	-1.5	1.7	0.0	-7.5	-22.0	-45.4	0.356
	R25062	21507	100	Core-Lok Pointed Soft Point	9½	1.5	200	3230	2892	2579	2286	2013	1760	2316	1857	1476	1160	899	688	-1.5	1.3	0.0	-6.6	-19.9	-41.8	0.292
25-20 WIN	R25063	21515	120	Core-Lok Pointed Soft Point	9½	1.5	200	2990	2730	2484	2252	2032	1825	2382	1985	1644	1351	1100	887	-1.5	1.6	0.0	-7.2	-21.4	-43.9	0.362
	R25202	28364	86	Core-Lok Pointed Soft Point	6½	0.9	100	1460	1194	1030	—	—	—	407	272	202	—	—	—	-0.9	0.0	-23.5	—	—	—	0.190
250 Savage	R250SV	29077	100	Core-Lok Pointed Soft Point	9½	1.5	200	2820	2504	2209	1935	1684	—	1765	1392	1084	831	629	—	-1.5	2.0	0.0	-9.2	-27.8	—	0.285

CENTERFIRE RIFLE BALLISTICS (CONT.)

CARTRIDGE	INDEX/EDI NO.	ORDER NO.	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS)					ENERGY (FT-LB)					TRAJECTORY (INCHES)					BALLISTIC COEFFICIENT				
								MUZZLE	100	200	300	400	500	MUZZLE	100	200	300	400	500	MUZZLE	100	200		300	400	500	
30-06 SPRG	R30061	21401	125	Core-Lokt Pointed Soft Point	9½	1.5	200	3140	2780	2448	2139	1854	1596	2736	2145	1663	1270	954	707	-1.5	1.5	0.0	-7.4	-22.4	-47.5	0.268	
	L30062	26399	150	Full Metal Jacket	9½	1.5	200	2910	2617	2342	2083	1842	1621	2820	2280	1826	1445	1130	875	-1.5	1.8	0.0	-8.2	-24.4	-50.9	0.314	
	RT3006A	29027	150	Core-Lokt Tipped	9½	1.5	200	2930	2705	2491	2287	2093	1909	2859	2437	2067	1742	1459	1213	-1.5	1.6	0.0	-7.2	-21.2	-43.0	0.415	
	R30062	27826	150	Core-Lokt Pointed Soft Point	9½	1.5	200	2910	2617	2342	2083	1842	1621	2820	2280	1826	1445	1130	875	-1.5	1.8	0.0	-8.2	-24.4	-50.9	0.314	
	PRSC3006C	29318	150	Swift Scirocco Bonded	9½ M	1.5	200	2910	2696	2492	2298	2112	1934	2821	2422	2070	1759	1485	1247	-1.5	1.7	0.0	-7.3	-21.1	-42.8	0.435	
	RCC30062	R27853	150	Core-Lokt Copper	9½	1.5	200	2910	2580	2273	1987	1725	1491	2820	2217	1721	1315	991	740	-1.5	1.9	0	-8.6	-26.2	-55.4	0.278	
	RT3006B	29035	165	Core-Lokt Tipped	9½	1.5	200	2820	2616	2421	2234	2056	1886	2913	2507	2147	1829	1548	1303	-1.5	1.8	0.0	-7.7	-22.5	-45.4	0.447	
	RLR3006	R21344	172	Speer Impact	9½	1.5	200	2825	2650	2481	2319	2162	2012	3048	2681	2351	2053	1785	1545	-1.5	1.7	0	-7.4	-21.2	-42.6	0.522	
	R3006B	21415	165	Core-Lokt Pointed Soft Point	9½	1.5	200	2800	2534	2283	2047	1826	1622	2872	2352	1910	1535	1221	963	-1.5	2.0	0.0	-8.7	-25.7	-53.1	0.339	
	RT3006C	29037	180	Core-Lokt Tipped	9½	1.5	200	2745	2558	2378	2206	2041	1883	3011	2615	2260	1945	1664	1417	-1.5	1.9	0.0	-8.1	-23.3	-46.9	0.480	
	R3006A	21407	180	Core-Lokt Soft Point	9½	1.5	200	2700	2348	2023	1727	1467	1252	2913	2203	1636	1192	860	627	-1.5	2.4	0.0	-11.0	-33.8	-72.8	0.248	
	R30065	27828	180	Core-Lokt Pointed Soft Point	9½	1.5	200	2700	2469	2250	2041	1845	1662	2913	2436	2022	1665	1360	1104	-1.5	2.1	0.0	-9.0	-26.4	-54.0	0.383	
	PRSC3006B	29328	180	Swift Scirocco Bonded	9½	1.5	200	2700	2522	2351	2186	2028	1878	2914	2543	2209	1911	1645	1409	-1.5	2.0	0.0	-8.3	-23.9	-47.9	0.500	
	R30067	27830	220	Core-Lokt Soft Point	9½	1.5	200	2410	2130	1870	1632	1421	1246	2837	2216	1708	1301	987	758	-1.5	3.1	0.0	-13.1	-39.4	-82.9	0.294	
	300 Savage	R305V2	21465	150	Core-Lokt Pointed Soft Point	9½	1.5	200	2630	2354	2095	1853	1631	1433	2303	1845	1462	1144	886	684	-1.5	2.4	0.0	-10.4	-30.9	-64.6	0.314
300 WIN Mag	R300W1	29495	150	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3290	2950	2634	2340	2065	1813	3605	2897	2311	1823	1420	1094	-1.5	1.3	0.0	-6.3	-19.0	-39.8	0.294	
	RT300WC	R29038	180	Core-Lokt Tipped	9½ M	1.5	200	2980	2783	2594	2413	2239	2073	3549	3095	2689	2327	2004	1717	-1.5	1.5	0.0	-6.7	-19.3	-38.9	0.481	
	PRSC300WB	29330	180	Swift Scirocco Bonded	9½ M	1.5	200	2960	2774	2595	2424	2259	2100	3503	3076	2693	2349	2040	1763	-1.5	1.5	0.0	-6.7	-19.3	-38.7	0.507	
	RCC300W2	R27858	180	Core-Lokt Copper	9½ M	1.5	200	2850	2574	2314	2070	1841	1630	2705	2206	1784	1427	1129	885	-1.5	1.9	0	-8.4	-25	-51.8	0.33	
	R300W2	29497	180	Core-Lokt Pointed Soft Point	9½ M	1.5	200	2960	2715	2484	2263	2054	1857	3501	2946	2465	2047	1687	1379	-1.5	1.6	0.0	-7.3	-21.3	-43.7	0.383	
	RCT300WC	R22345	180	Premier Cut	9½ M	1.5	200	2960	2759	2567	2383	2207	2038	3502	3043	2634	2270	1946	1659	-1.5	1.5	0.0	-6.8	-19.8	-39.9	0.469	
RLR300W	R21346	190	Speer Impact	9 1/2 M	1.5	200	2885	2727	2577	2430	2289	2153	3506	3138	2800	2492	2210	1955	-1.5	1.6	0	-6.8	-19.5	-38.9	0.586		
300 WSM	R300WSM1	29489	150	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3320	2977	2660	2364	2087	1830	3671	2952	2356	1861	1451	1116	-1.5	1.2	0.0	-6.2	-18.6	-38.0	0.294	
	RT300WSM1	29043	150	Core-Lokt Tipped	9½ M	1.5	200	3340	3093	2860	2639	2428	2227	3715	3186	2724	2319	1963	1652	-1.5	1.1	0.0	-5.3	-15.7	-31.9	0.415	
	PRSC300WSMB	29345	180	Swift Scirocco Bonded	9½ M	1.5	200	2980	2793	2614	2442	2276	2117	3560	3119	2731	2383	2071	1791	-1.5	1.5	0.0	-6.6	-19	-38.7	0.507	
308 Marlin Express	R308ME1	27848	150	Core-Lokt Pointed Soft Point	9½	1.5	200	2725	2275	1871	1519	1239	—	2473	1724	1166	768	511	—	-1.5	2.7	0.0	-12.7	-40.8	—	0.193	
	L308W4	23715	150	Full Metal Jacket	9½	1.5	200	2820	2532	2262	2009	1774	1560	2848	2136	1704	1344	1048	810	-1.5	2.0	0.0	-8.8	-26.3	-54.8	0.314	
308 WIN	L308W4B	R23971	150	Full Metal Jacket	9½	1.5	200	2810	2595	2389	2193	2007	1830	2629	2242	1901	1602	1341	1115	-1.5	1.8	0.0	-7.9	-23.1	-47.0	0.422	
	R308W1	27842	150	Core-Lokt Pointed Soft Point	9½	1.5	200	2820	2532	2262	2009	1774	1560	2848	2136	1704	1344	1048	810	-1.5	2.0	0.0	-8.8	-26.3	-54.8	0.314	
	RCC308W1	R27854	150	Core-Lokt Copper	9½	1.5	200	2820	2496	2195	1915	1660	1434	2848	2075	1605	1222	918	685	-1.5	2.1	0	-9.3	-28.2	-58.8	0.278	
	RT308WA	29039	150	Core-Lokt Tipped	9½	1.5	200	2840	2620	2410	2210	2019	1839	2686	2285	1934	1626	1358	1126	-1.5	1.8	0.0	-7.8	-22.7	-46.2	0.415	
	RT308WB	29044	165	Core-Lokt Tipped	9½	1.5	200	2700	2501	2311	2129	1956	1792	2670	2292	1957	1661	1401	1176	-1.5	2.0	0.0	-8.6	-24.8	-50.1	0.447	
	RT308WC	29041	180	Core-Lokt Tipped	9½	1.5	200	2640	2457	2282	2113	1952	1799	2785	2413	2080	1785	1523	1293	-1.5	2.1	0.0	-8.6	-24.5	-51.2	0.480	
	PRSC308WB	29332	165	Swift Scirocco Bonded	9½	1.5	200	2680	2493	2314	2143	1979	1823	2631	2277	1962	1682	1434	1217	-1.5	2.1	0.0	-8.6	-24.7	-49.7	0.475	
	RM308W7	21485	168	MatchKing BTHP	9½	1.5	200	2680	2494	2315	2143	1979	1823	2679	2319	1999	1713	1461	1240	-1.5	2.1	0.0	-8.6	-24.7	-49.7	0.475	
	RLR308W	R21345	172	Speer Impact	9½	1.5	200	2635	2467	2305	2149	1999	1856	2652	2324	2029	1763	1526	1315	-1.5	2.1	0	-8.7	-24.9	-49.8	0.522	
	RM308W8	21486	175	MatchKing BTHP	9½	1.5	200	2610	2434	2265	2103	1947	1799	2647	2302	1993	1718	1473	1257	-1.5	2.2	0.0	-9.0	-25.8	-51.9	0.496	
	R308W4	R21473	180	Pointed Soft Point Boattail	9½	1.5	200	2615	2395	2185	1985	1797	1622	2735	2293	1907	1575	1291	1052	-1.5	2.3	0	-9.6	-28	-57.3	0.393	
	R308W2	27844	180	Core-Lokt Soft Point	9½	1.5	200	2620	2274	1956	1667	1415	—	2743	2067	1528	1110	800	—	-1.5	2.6	0.0	-11.8	-36.3	—	0.248	
	R308W3	21479	180	Core-Lokt Pointed Soft Point	9½	1.5	200	2620	2393	2177	1973	1781	1603	2743	2288	1895	1556	1268	1027	-1.5	2.3	0.0	-9.7	-28.3	-57.9	0.383	
	300 WBY Mag	R300WB1	29279	180	Core-Lokt Pointed Soft Point	9½ M	1.5	200	3120	2866	2627	2399	2184	1979	3890	3283	2757	2301	1905	1565	-1.5	1.4	0.0	-6.4	-18.9	-38.7	0.383
	300 PRC	RLR300PRC	R28830	215	Speer Impact	9½ M	1.5	200	2850	2708	2570	2436	2306	2180	3877	3499	3152	2832	2538	2268	-1.5	1.6	0	-6.9	-19.7	-38.9	0.649
RT300PRC		R20047	210	Core-Lokt Tipped	9½ M	1.5	200	TBD	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
303 British	L303B1	23701	174	Full Metal Jacket	9½	1.5	100	2475	2209	1960	1730	1521	1339	2366	1886	1484	1156	893	692	-1.5	0.0	-5.7	-20.4	-46.9	-88.4	0.315	
	R303B1	21471	180	Core-Lokt Soft Point	9½	1.5	100	2460	2125	1819	1544	1313	—	2418	1805	1322	953	689	—	-1.5	0.0	-6.3	-23.1	-54.7	—	0.247	
7.62 x 39	L762391	23699	123	Full Metal Jacket																							

SHOT SHELL

PRODUCT NAME	INDEX/ EDI NO.	ORDER NO.	GAUGE	LENGTH (IN)	DRAM EQUIV.	VELOCITY	OZ. OF SHOT	SHOT SIZE	
Premier TSS Turkey	TSS1237	28043	12	3	N/A	1200	1 3/4	7	
	TSS1239	28045	12	3	N/A	1200	1 3/4	9	
	TSS2037	28063	20	3	N/A	1100	1 1/2	7	
	TSS2039	28065	20	3	N/A	1100	1 1/2	9	
	TSS41039	28069	410	3	N/A	1100	13/16	9	
Premier High Velocity Magnum Turkey	PHV12M4A	28029	12	3	N/A	1300	1-3/4	4	
	PHV12M5A	28031	12	3	N/A	1300	1-3/4	5	
	PHV1235M4A	28039	12	3-1/2	N/A	1300	2	4	
	PHV1235M5A	28041	12	3-1/2	N/A	1300	2	5	
	PHV20M5A	20119	20	3	N/A	1300	1 1/8	5	
Premier Magnum Turkey	P10HMA	24395	10	3-1/2	N/A	1210	2-1/4	4	
	P12XHMA	26801	12	3	N/A	1175	2	4	
	P12XHMA	26803	12	3	N/A	1175	2	5	
	P12XHMA	26805	12	3	N/A	1175	2	6	
	P1235MA	26833	12	3-1/2	N/A	1150	2-1/4	4	
	P20XHMA	26859	20	3	N/A	1185	1-1/4	6	
Nitro Turkey	NT12H4A	26669	12	3	N/A	1210	1-7/8	4	
	NT12H5A	26671	12	3	N/A	1210	1-7/8	5	
	NT12H6A	26673	12	3	N/A	1210	1-7/8	6	
	NT1235A	26707	12	3-1/2	N/A	1300	2	4	
	NT1235A	26709	12	3-1/2	N/A	1300	2	5	
	NT1235A	26711	12	3-1/2	N/A	1300	2	6	
	NT20M5A	26731	20	3	N/A	1185	1-1/4	5	
	NT20M5A	26731	20	3	N/A	1185	1-1/4	5	
Nitro Pheasant	NP124	28620	12	2-3/4	N/A	1400	1-1/4	4	
	NP125	28622	12	2-3/4	N/A	1400	1-1/4	5	
	NP126	28624	12	2-3/4	N/A	1400	1-1/4	6	
	NP12M4	28632	12	2-3/4	N/A	1300	1-3/8	4	
	NP12M5	28634	12	2-3/4	N/A	1300	1-3/8	5	
	NP12M6	28636	12	2-3/4	N/A	1300	1-3/8	6	
	NP205	28646	20	2-3/4	N/A	1300	1	5	
	NP206	28648	20	2-3/4	N/A	1300	1	6	
	NP20M5	28651	20	3	N/A	1185	1-1/4	5	
	NP20M6	28653	20	3	N/A	1185	1-1/4	6	
	NP127	28681	12	2-3/4	3-1/4	1230	1-1/4	7-1/2	
	Nitro Pigeon	NM12S2	26676	12	2-3/4	N/A	1260	1-1/2	2
		NM12S4	26678	12	2-3/4	N/A	1260	1-1/2	4
		NM124	26674	12	3	N/A	1280	1-5/8	4
NM126		20376	12	3	N/A	1280	1-5/8	6	
NM12H2		26682	12	3	N/A	1210	1-7/8	2	
NM12H4		26684	12	3	N/A	1210	1-7/8	4	
NM12H6		26685	12	3	N/A	1210	1-7/8	6	
NM20S4		20664	20	2-3/4	N/A	1175	1-1/8	4	
NM20S6		20666	20	2-3/4	N/A	1175	1-1/8	6	
NM20H4		20672	20	3	N/A	1185	1-1/4	4	
NM20H6		20674	20	3	N/A	1185	1-1/4	6	
Express XLR Extra Long Range		SP122	20143	12	2-3/4	N/A	1330	1-1/4	2
		SP124	20145	12	2-3/4	N/A	1330	1-1/4	4
		SP125	20147	12	2-3/4	N/A	1330	1-1/4	5
	SP126	20149	12	2-3/4	N/A	1330	1-1/4	6	
	SP1275	20151	12	2-3/4	N/A	1330	1-1/4	7-1/2	
	NEHV125	20167	12	2-3/4	N/A	1450	1-1/8	5	
	NEHV126	20168	12	2-3/4	N/A	1450	1-1/8	6	
	NEHV1275	20169	12	2-3/4	N/A	1450	1-1/8	7-1/2	
	SP164	28003	16	2-3/4	N/A	1295	1-1/8	4	
	SP166	28007	16	2-3/4	N/A	1295	1-1/8	6	
	SP1675	28009	16	2-3/4	N/A	1295	1-1/8	7-1/2	
	SP204	20333	20	2-3/4	N/A	1220	1	4	
	SP205	20335	20	2-3/4	N/A	1220	1	5	
	SP206	20337	20	2-3/4	N/A	1220	1	6	
	SP2075	20339	20	2-3/4	N/A	1220	1	7-1/2	
	NEHV206	20181	20	2-3/4	N/A	1350	7/8	6	
	NEHV2075	20183	20	2-3/4	N/A	1350	7/8	7-1/2	
	SP286	28047	28	2-3/4	N/A	1295	3/4	6	
	SP2875	28049	28	2-3/4	N/A	1295	3/4	7-1/2	
	SP4104	20743	410	2-1/2	N/A	1250	1/2	4	

SHOT SHELL (CONT.)

PRODUCT NAME	INDEX/ EDI NO.	ORDER NO.	GAUGE	LENGTH (IN)	DRAM EQUIV.	VELOCITY	OZ. OF SHOT	SHOT SIZE	
Express XLR Extra Long Range (cont.)	SP4106	20745	410	2-1/2	N/A	1250	1/2	6	
	SP41075	20747	410	2-1/2	N/A	1250	1/2	7-1/2	
	SP4134	20771	410	3	N/A	1135	11/16	4	
	SP4136	20775	410	3	N/A	1135	11/16	6	
	SP41375	20777	410	3	N/A	1135	11/16	7-1/2	
Heavy Dove Loads	RHD1275	28755	12	2-3/4	N/A	1255	1-1/8	7-1/2	
	RHD128	28757	12	2-3/4	N/A	1255	1-1/8	8	
	RHD2075	28777	20	2-3/4	N/A	1165	1	7-1/2	
	RHD208	28779	20	2-3/4	N/A	1165	1	8	
Pheasant Loads	PL124	20046	12	2-3/4	N/A	1330	1-1/4	4	
	PL125	20024	12	2-3/4	N/A	1330	1-1/4	5	
	PL126	20048	12	2-3/4	N/A	1330	1-1/4	6	
	PL127	20050	12	2-3/4	N/A	1330	1-1/4	7-1/2	
	PL166	20054	16	2-3/4	N/A	1295	1-1/8	6	
	PL204	20058	20	2-3/4	N/A	1220	1	4	
	PL205	20018	20	2-3/4	N/A	1220	1	5	
	PL206	20060	20	2-3/4	N/A	1220	1	6	
Game Loads	GL126	20028	12	2-3/4	N/A	1290	1	6	
	GL127	20030	12	2-3/4	N/A	1290	1	7-1/2	
	GL128	20032	12	2-3/4	N/A	1290	1	8	
	GL166	20034	16	2-3/4	N/A	1200	1	6	
	GL167	20036	16	2-3/4	N/A	1200	1	7-1/2	
	GL168	20038	16	2-3/4	N/A	1200	1	8	
	GL206	20040	20	2-3/4	N/A	1225	7/8	6	
	GL207	20042	20	2-3/4	N/A	1225	7/8	7-1/2	
	GL208	20044	20	2-3/4	N/A	1225	7/8	8	
	GL4106	20014	410	2-1/2	N/A	1200	1/2	6	
	Express Magnum Buckshot	12SB00	20632	12	2-3/4	N/A	1290	12 pel	00
		12HB000	20408	12	3	N/A	1225	10 pel	00
12HB00		20636	12	3	N/A	1225	15 pel	00	
12HB4		20640	12	3	N/A	1225	41 pel	4	
1235B00		20280	12	3-1/2	N/A	1125	18 pel	00	
Express Buckshot		12B000	20406	12	2-3/4	N/A	1325	8 pel	000 BK
		12B00	20620	12	2-3/4	N/A	1325	9 pel	00 BK
		12B0	20622	12	2-3/4	N/A	1275	12 pel	0 BK
		12B1	20624	12	2-3/4	N/A	1250	16 pel	1 BK
		12B4	20626	12	2-3/4	N/A	1325	27 pel	4 BK
	20B3	20630	20	2-3/4	N/A	1220	20 pel	3 BK	
	12B00A	20411	12	2-3/4	N/A	1325	9 pel	00 BK	
	12B00B	20413	12	2-3/4	N/A	1325	9 pel	00 BK	
	Ultimate Defense	12B009HD	20713	12	2-3/4	N/A	1325	9 pel	00 BK
		12B00RRHD	20711	12	2-3/4	N/A	1200	8 pel	00 BK
12HB00HD		20633	12	3	4	1225	15 pel	00	
12HB4HD		20639	12	3	4	1225	41 pel	4 BK	
12BRR4HD		20637	12	2-3/4	N/A	1200	21 pel	4 BK	
20BRR3HD		20681	20	2-3/4	N/A	1140	17 pel	3 BK	
410B000HD		20697	410	2-1/2	N/A	1225	4 pel	000 BK	
413B000HD		20707	410	3	N/A	1125	5 pel	000 BK	
Wingmaster HD		RW12S4	20683	12	2-3/4	N/A	1325	1-1/4	4
		RW12S6	20685	12	2-3/4	N/A	1325	1-1/4	6
	RW122	20871	12	3	N/A	1450	1-1/4	2	
	RW124	20873	12	3	N/A	1450	1-1/4	4	
	RW126	20875	12	3	N/A	1450	1-1/4	6	
	RW12M2	20685	12	3	N/A	1450	1-3/8	2	
	RW12M4	20687	12	3	N/A	1450	1-3/8	4	
	RW12M6	20689	12	3	N/A	1450	1-3/8	6	
	RW12HM2	20903	12	3	N/A	1300	1-1/2	2	
	RW12HM4	20905	12	3	N/A	1300	1-1/2	4	
	RW1235MB	20655	12	3-1/2	N/A	1300	1-3/4	BB	
	RW1235M2	20657	12	3-1/2	N/A	1300	1-3/4	2	
	RW1235M4	20659	12	3-1/2	N/A	1300	1-3/4	4	
	RW20M4	20763	20	3	N/A	1300	1-1/8	4	

SHOT SHELL (CONT.)

PRODUCT NAME	INDEX/ EDI NO.	ORDER NO.	GAUGE	LENGTH (IN)	DRAM EQUIV.	VELOCITY	OZ. OF SHOT	SHOT SIZE	
Premier Bismuth	RHB12M2	R20500	12	3	N/A	1400	1-3/8	2	
	RHB12M5	R20501	12	3	N/A	1400	1-3/8	5	
	RHB12S2	R20503	12	2-3/4	N/A	1400	1-1/4	2	
	RHB12S5	R20505	12	2-3/4	N/A	1400	1-1/4	5	
	RHB20M2	R20507	20	3	N/A	1400	1-1/8	2	
	RHB20M5	R20508	20	3	N/A	1400	1-1/8	5	
	RHB20S5	R20509	20	2-3/4	N/A	1300	1	5	
	RHB16M4	R20511	16	2-3/4	N/A	1350	1-1/8	4	
	RHB28M4	R20513	28	2-3/4	N/A	1200	7/8	4	
	RHB4104	R20514	410	3	N/A	1200	5/8	4	
	Hypersonic Steel	HSS10C	26724	10	3-1/2	N/A	1500	1-1/2	BBB
		HSS10B	26726	10	3-1/2	N/A	1500	1-1/2	BB
		HSS102	26728	10	3-1/2	N/A	1500	1-1/2	2
		HSS12B	26741	12	3	N/A	1700	1-1/8	BB
HSS122		26743	12	3	N/A	170			

RIMFIRE BALLISTICS

CARTRIDGE	INDEX/ EDI NO.	ORDER NO.	WT (GR)	SIGHT HEIGHT	BULLET STYLE	VELOCITY (FPS)					ENERGY (FT-LB)					TRAJECTORY (INCHES)				BALLISTIC COEFFICIENT	
						MUZZLE	50	100	150	200	MUZZLE	50	100	150	200	MUZZLE	50	100	150		200
22 Short	1022 1000*	21000 21001	29	1.5	Plated Round Nose	1095	986	903	829	—	77	63	52	44	—	-1.5	0	-7.4	-25.5	—	0.084
22 Long Rifle	1722 1700* YJ225	21074 21280 21233	33	1.5	Plated Truncated Cone HP	1500	1243	1075	983	—	165	113	85	71	—	-1.5	0	-4.1	-15.8	—	0.095
	1922 1900* VP225	21080 21288 21239	36	1.5	Plated Truncated Cone Solid	1410	1186	1056	976	—	159	112	89	76	—	-1.5	0	-4.7	-17.1	—	0.103
	CY-22HP*** 1622 1600* 1622C** 1622C** 1622B****	21222 21008 21278 21229 21250 21231	36	1.5	Lead Hollow Point	1280	1104	1010	939	—	131	97	82	71	—	-1.5	0	-5.6	-19.7	—	0.104
	1522 1500*	21006 21276	40	1.5	Plated Round Nose	1255	1103	1017	952	—	140	108	92	80	—	-1.5	0	-5.6	-19.6	—	0.116
	RH22RN RH22	R21263 R21273	40	1.5	Plated Round Nose Plated Hollow Point	1255	1103	1017	952	—	140	108	92	99	80	-1.5	0.0	-5.6	-19.6	—	0.116
	GBH22 GBH22B	R21251 R21253	40	1.5	Plated Hollow Point Plated Hollow Point	1255	1156	1088	997	—	140	105	88	76	—	-1.5	0.0	-5.8	-20.3	—	0.100
	TB-22A TB-22B***	21238 21241	40	1.5	Lead Round Nose	1255	1103	1017	952	—	140	108	92	80	—	-1.5	0	-5.6	-19.6	—	0.116
	6122 6100*	21022 21284	40	1.5	Lead Round Nose	1150	1046	976	916	w—	117	97	85	75	—	-1.5	0	-6.4	-22.0	—	0.116
	SUB22HP SUB22HP1* SS225	21135 21137 21249	40	1.5	Plated Hollow Point	1050	950	867	793	—	98	80	67	56	—	-1.5	0	-8.2	-27.9	—	0.079
	CB-22L00*	21119	33	1.5	Plated Truncated Cone HP	740	687	638	592	—	40	35	30	26	—	-1.5	0	-16.9	-55.2	—	0.095
17 HMR	PR17HM1 R17HM1 R17HM2	28464 20023 20025	17	1.5	AccuTip-V BT JHP PSP	2550	2212	1901	1620	1378	246	185	136	99	72	-1.5	0.2	zero	-2.6	-8.5	0.125
	R17HM1 R17HM2	20023 20025	17	1.5	JHP PSP	2530	2150	1804	1502	--	242	174	123	85	--	-1.5	0.2	0.0	-2.9	--	0.110
	R17HM2	20025	20	1.5	PSP	2375	2051	1754	--	--	250	187	137	--	--	-1.5	0.3	0.0	--	--	0.125
22 Win Mag	PR22M1 R22M1 R22M2	21184 21170 21172	33 40 40	1.5 1.5 1.5	AccuTip-V BT JHP PSP	2000	1730	1495	1289	1135	293	220	163	122	94	-1.5	0.7	zero	-4.6	-14.5	0.136
	R22M1 R22M2	21170 21172	40 40	1.5 1.5	JHP PSP	1910	1610	1355	1160	1032	324	230	163	119	95	-1.5	0.9	zero	-5.7	-17.8	0.117
	R22M2	21172	40	1.5	PSP	1910	1600	1340	1143	1018	324	228	159	116	78	-1.5	1	zero	-5.8	-18.3	0.113

* Available in 100-round slide-open plastic packs. ** Available in 225-round and 525-round bulk packs.
 *** Available in 500-round bulk packs. **** Available in 1400-round buckets.

 GOLDEN BULLET (Page 82)	 GOLDEN HUNTER (Page 81)	 SUBSONIC (Page 82)
 YELLOW JACKET (Page 85)	 RANCH HAND (Page 81)	 CBE (Page 82)
 VIPER (Page 85)	 THUNDERBOLT (Page 85)	 PREMIER MAGNUM (Page 86)
 CYCLONE (Page 85)	 TARGET (Page 82)	 MAGNUM (Page 86)

HANDGUN BALLISTICS

CARTRIDGE	INDEX/ EDI NO.	ORDER NO.	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (INCHES)		BARREL LENGTH	BALLISTIC COEFFICIENT
								MUZZLE	25	50	MUZZLE	25	50	25	50		
5.7x28mm	L5728MM1	R23986	40	Full Metal Jacket		0.9	25	1655	1514	1387	243	204	171	0.0	-0.0	4.8	
25 Auto (6.35mm Browning)	L25AP	23716	50	Full Metal Jacket	1 ½	0.9	25	760	733	707	64	60	56	0.0	-3.2	2	0.088
30 Super Carry	L30SC	R20015	100	Full Metal Jacket	550	0.9	25	1250	1185	1129	347	312	283	-0.7	-2.9	4	0.165
	RTP30SC	R20019	100	Jacketed Hollow Point	205	0.9	25	1235	1170	1115	339	304	276	-0.7	-3	4	0.165
32 S&W	RPW32SW	22206	88	Lead Round Nose	1 ½	0.9	25	680	662	644	90	86	81	0.0	-4.1	3	0.114
32 S&W Long	RPW32SWL	22210	98	Lead Round Nose	1 ½	0.9	25	705	687	669	108	103	97	0.0	-3.7	4	0.119
32 Auto (7.65mm Browning)	L32AP	23704	71	Full Metal Jacket	1 ½	0.9	25	905	879	854	129	122	115	0.0	-1.9	4	0.131
32 H&R Mag	RTP32HR	R20017	85	Jacketed Hollow Point	5 ½	0.9	25	1120	1067	1023	235	215	195	0.0	1.0	5	0.100
	RPW32HR	20021	95	Lead Semi-Wadcutter	1 ½	0.9	25	1020	970	928	220	200	180	0.0	1.4	5	0.14
327 Federal Magnum	L327	R20016	100	Jacketed Soft Point	5 ½	0.9	25	1500	1408	1324	500	440	389	-0.5	-2.1	4	0.160

HANDGUN BALLISTICS (CONT.)

CARTRIDGE	INDEX/ EDI NO.	ORDER NO.	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (INCHES)		BARREL LENGTH	BALLISTIC COEFFICIENT
								MUZZLE	25	50	MUZZLE	25	50	25	50		
357 Mag**	RTP357M7A	22237	110	Semi-Jacketed Hollow Point	5 ½	0.9	25	1295	1182	1093	410	341	292	0.0	-0.7	4**	0.098
	GSD357MA	27600	125	Brass Jacketed Hollow Point	5 ½	0.9	25	1220	1095	1009	413	333	283	0.0	-0.9	4**	0.073
	RTP357M1A	22227	125	Semi-Jacketed Hollow Point	5 ½	0.9	25	1450	1338	1240	583	497	427	0.0	-0.3	4**	0.125
	L357M12	23738	125	Jacketed Soft Point	5 ½	0.9	25	1450	1338	1240	583	497	427	0.0	-0.3	4**	0.125
	RTP357M2A	22231	158	Semi-Jacketed Hollow Point	5 ½	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145
	RTP357M3A	22233	158	Soft Point	5 ½	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145
	RPW357M5	22223	158	Lead Semi-Wadcutter	5 ½	0.9	25	1235	1164	1104	535	475	428	0.0	-0.7	4**	0.145
	RHH357M1	R20220	180	Semi-Jacketed Hollow Point	5 ½	0.9	25	1080	1048	1020	466	439	416	0.0	-1.1	4**	0.210
	RTP357M10A	22239	180	Semi-Jacketed Hollow Point	5 ½	0.9	25	1145	1095	1052	524	479	443	0.0	-0.9	8 3/8**	0.163
357 Sig	GSD357SBB	29407	125	Bonded Brass Jacketed Hollow Point	5 ½	0.9	25	1350	1245	1157	506	430	372	0.0		4	0.118
	L357S1	23734	125	Full Metal Jacket	5 ½	0.9	25	1350	1238	1146	506	425	365	0.0	-0.5	4	0.110
	L357S2	23692	125	Jacketed Hollow Point	5 ½	0.9	25	1350	1245	1157	506	430	372	0.0	-0.5	4	0.118
9mm Luger	TBD	TBD	TBD	UMC Leadless	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
	RTP9MM1A	28288	115	Jacketed Hollow Point	1 ½	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	RTP9MM6A	28293	115	Jacketed Hollow Point +P ‡	1 ½	0.9	25	1250	1175	1113	399	353	316	0.0	-0.7	4	0.143
	L9MM1B	23753	115	Jacketed Hollow Point	1 ½	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	L9MM3	23728	115	Full Metal Jacket	1 ½	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	RCSMM11	27681		Range Clean													
	GSD9MMDB	29341	124	Bonded Brass Jacketed Hollow Point +P ‡	1 ½	0.9	25	1125	1074	1031	348	317	293	0.0	-1.0	4	0.149
	GSD9MMBN	27601	124	Brass Jacketed Hollow Point	1 ½	0.9	25	1125	1074	1031	348	317	293	0.0	-1.0	4	0.149
	GSD9MMC	27603	124	Brass Jacketed Hollow Point +P ‡	1 ½	0.9	25	1180	1131	1089	383	352	326	0.0	-0.8	4	0.189
	GSC9MMBN	27613	124	Brass Jacketed Hollow Point	1 ½	0.9	25	1020	992	967	286	271	258	0.0	-1.3	2.7	0.189
	L9MM2	23718	124	Full Metal Jacket	1 ½	0.9	25	1110	1069	1031	339	314	292	0.0	-1.0	4	0.173
	GSD9MMCB	29343	147	Bonded Brass Jacketed Hollow Point	1 ½	0.9	25	990	964	941	320	304	289	0.0	-1.4	4	0.182
	RTP9MM8A	28295	147	Jacketed Hollow Point	1 ½	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182
	GSD9MMC	27604	147	Brass Jacketed Hollow Point	1 ½	0.9	25	990	964	941	320	304	289	0.0	-1.4	4	0.182
	L9MM9	23732	147	Full Metal Jacket	1 ½	0.9	25	990	965	941	320	304	289	0.0	-1.4	4	0.182
	S9MM9	28435	147	Flat Nose Enclosed Base	1 ½	0.9	25	945	923	903	292	278	266	0.0	-1.7	4	0.183
	T9MM3L	R2778	115	Full Metal Jacket	1 ½	0.9	25	1145	1092	1048	335	304	280	0.0	-0.9	4	0.155
	T9MM3A	R23975	115	Full Metal Jacket	1 ½	0.9	25	1145	1092	1048	335	304	280				

HANDGUN BALLISTICS (CONT.)

CARTRIDGE	INDEX/ EDI NO.	ORDER NO.	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (INCHES)		BARREL LENGTH	BALLISTIC COEFFICIENT
								MUZZLE	25	50	MUZZLE	25	50	25	50		
38 Spl**	RTP38S10A	22295	110	Semi-Jacketed Hollow Point +P ‡	1 ½	0.9	25	955	958	926	242	224	210	0.0	-1.5	4**	0.128
	RTP38S16A	22293	110	Semi-Jacketed Hollow Point	1 ½	0.9	25	950	919	890	220	206	194	0.0	-1.7	4**	0.126
	RTP38S21A	22303	125	Semi-Jacketed Hollow Point +P ‡	1 ½	0.9	25	945	921	898	248	235	224	0.0	-1.7	4**	0.162
	GSD38SBN	27606	125	Brass Jacketed Hollow Point +P ‡	1 ½	0.9	25	975	950	927	264	250	238	0.0	-1.5	4**	0.177
	GSC38SBN	27617	125	Brass Jacketed Hollow Point +P ‡	1 ½	0.9	25	895	876	857	222	213	204	0.0	-1.9	1.875**	0.174
	L38S2B	23771	125	Jacketed Hollow Point +P ‡	1 ½	0.9	25	945	921	898	248	235	224	0.0	-1.7	4**	0.162
	L38S11	23730	130	Full Metal Jacket	1 ½	0.9	25	800	787	775	185	179	173	0.0	-2.6	4**	0.213
	RPW38S3	22267	148	TMWC	1 ½	0.9	25	710	671	634	166	148	132	0.0	-3.9	4**	0.056
	RPW38S6	22271	158	Lead SWC	1 ½	0.9	25	755	739	723	200	191	183	0.0	-3.1	4**	0.148
	RPW38S5	22281	158	Lead Round Nose	1 ½	0.9	25	755	739	723	200	191	183	0.0	-3.1	4**	0.148
	RTP38S12A	22297	158	Lead Hollow Point +P ‡	1 ½	0.9	25	890	872	855	278	267	256	0.0	-2.0	4**	0.187
	L38S5	23724	158	Lead Round Nose	1 ½	0.9	25	755	739	723	200	191	183	0.0	-3.1	4**	0.148
	38 Short Colt**	RPW38SC	22273	125	Lead Round Nose	1 ½	0.9	25	730	708	686	148	139	131	0.0	-3.4	6**
40 S&W	RTP40SW1A	22306	155	Jacketed Hollow Point	1 ½	0.9	25	1205	1146	1095	500	452	413	0.0	-0.8	4	0.163
	L40SW4	23746	165	Full Metal Jacket	1 ½	0.9	25	1150	1040	964	485	396	339	0.0	-1.1	4	0.068
	GSB40SWAB	29363	165	Bonded Brass Jacketed Hollow Point	1 ½	0.9	25	1150	1089	1040	484	435	396	0.0	-0.9	4	0.135
	GSD40SWA	27607	165	Bonded Brass Jacketed Hollow Point	1 ½	0.9	25	1150	1089	1040	484	435	396	0.0	-0.9	4	0.135
	GSD40SWBN	27608	165	Brass Jacketed Hollow Point	1 ½	0.9	25	1150	1089	1040	484	435	396	0.0	-0.9	4	0.135
	GSC40SWBN	27618	180	Brass Jacketed Hollow Point	1 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	0.177
	GSB40SWBB	29365	180	Bonded Brass Jacketed Hollow Point	1 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	0.177
	RTP40SW2A	22308	180	Jacketed Hollow Point	1 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	0.177
	L40SW2B	23687	180	Jacketed Hollow Point	1 ½	0.9	25	1015	986	960	412	388	368	0.0	-1.3	4	0.177
	L40SW3	23742	180	Full Metal Jacket	1 ½	0.9	25	990	964	940	392	371	353	0.0	-1.4	4	0.178
	RC40SW5	27685	180	Flat Nose Enclosed Base	1 ½	0.9	25	990	964	940	392	371	353	0.0	-1.4	4	0.178
	T40SW3L	27781	180	Full Metal Jacket													
	10mm Auto	L10MM6	23706	180	Full Metal Jacket	2 ½	0.9	25	1150	1103	1063	528	486	451	0.0	-0.9	4
GSB10MMAB		R21368	180	Bonded Brass Jacketed Hollow Point	2 ½	0.9	25	1160	1111	1070	538	494	457	0.0	-0.8	5	0.177
GSD10MMBN		R21369	180	Brass Jacketed Hollow Point	2 ½	0.9	25	1160	1111	1070	538	494	457	0.0	-0.8	5	0.177
GSC10MMBN		R21370	180	Brass Jacketed Hollow Point	2 ½	0.9	25	1080	1040	1008	464	433	406	0.0	-1.1	3.78	0.174
RHH10MM1		R20231	200	Semi-Jacketed Hollow Point	2 ½	0.9	25	1110	1084	1060	547	522	498	0.0	-1.0	5	0.290
41 Remington Mag	RHH41MG1	R20225	210	Semi-Jacketed Hollow Point	2 ½	0.9	25	1240	1181	1130	717	650	595	0.0	-0.7	4**	0.180
	RTP41MG1A	23000	210	Jacketed Soft Point	2 ½	0.9	25	1300	1226	1162	788	701	629	0.0	-0.5	4**	0.159
44 Remington Mag**	L44MG7	23744	180	Jacketed Soft Point	2 ½	0.9	25	1610	1482	1366	1036	878	745	0.0	-0.1	4**	0.123
	RHH44MG1	R20228	240	Semi-Jacketed Hollow Point	2 ½	0.9	25	1220	1161	1110	793	718	656	0.0	-0.7	4**	0.170
	RTP44MG2A	23002	240	Jacketed Soft Point	2 ½	0.9	25	1180	1126	1081	742	676	623	0.0	-0.8	4**	0.172
	RTP44MG3A	23010	240	Semi-Jacketed Hollow Point	2 ½	0.9	25	1180	1126	1081	742	676	623	0.0	-0.8	4**	0.172
44 S&W Spl**	RPW44SW	22333	246	Lead Round Nose	2 ½	0.9	25	755	740	725	311	299	287	0.0	-3.1	4**	0.158
45 Colt	RTP45C1A	23012	230	Brass Jacketed Hollow Point	2 ½	0.9	25	850	830	811	369	352	335	0.0	-2.3	4**	0.149
	RPW45C1	22338	225	Lead SWC	2 ½	0.9	25	830	804	780	344	323	304	0.0	-2.5	4**	0.101
	RPW45C	22340	250	Lead Round Nose	2 ½	0.9	25	750	733	717	312	298	285	0.0	-3.1	4**	0.142

HANDGUN BALLISTICS (CONT.)

CARTRIDGE	INDEX/ EDI NO.	ORDER NO.	WT (GR)	BULLET STYLE	PRIMER NO.	SIGHT HEIGHT (INCHES)	ZERO (YARDS)	VELOCITY (FPS)			ENERGY (FT-LB)			TRAJECTORY (INCHES)		BARREL LENGTH	BALLISTIC COEFFICIENT
								MUZZLE	25	50	MUZZLE	25	50	25	50		
45 Auto	RTP45AP2A	21453	185	Jacketed Hollow Point	2 ½	0.9	25	1000	968	939	411	385	362	0.0	-1.4	4	0.149
	L45AP1	23818	185	Full Metal Jacket	2 ½	0.9	25	1015	981	951	423	395	371	0.0	-1.4	4	0.149
	GSD45APA	27609	185	Brass Jacketed Hollow Point	2 ½	0.9	25	1015	981	951	423	395	372	0.0	-1.4	4	0.149
	GSD45APC	27611	185	Brass Jacketed Hollow Point +P ‡	2 ½	0.9	25	1140	1086	1042	534	485	446	0.0	-0.9	4	0.150
	GSB45APAB	29325	185	Bonded Brass Jacketed Hollow Point	2 ½	0.9	25	1015	981	951	423	395	372	0.0	-1.4	4	0.149
	GSB45APBB	29327	230	Bonded Brass Jacketed Hollow Point	2 ½	0.9	25	875	853	833	391	372	354	0.0	-2.1	4	0.148
	RTP45AP7A	21455	230	Jacketed Hollow Point	2 ½	0.9	25	835	817	800	356	341	326	0.0	-2.4	4	0.161
	GSD45APBN	27612	230	Brass Jacketed Hollow Point	2 ½	0.9	25	875	853	833	391	372	354	0.0	-2.1	4	0.148
	GSC45APBN	27619	230	Brass Jacketed Hollow Point	2 ½	0.9	25	725	710	695	210	201	193	0.0	-3.4	3	0.149
	L45AP4	23726	230	Full Metal Jacket	2 ½	0.9	25	835	817	800	356	341	326	0.0	-2.4	5	0.161
	S45AP4	28428	230	Flat Nose Enclosed Base	2 ½	0.9	25	830	812	795	352	337	323	0.0	-2.4	5	0.159
	L45AP7B	23689	230	Jacketed Hollow Point	2 ½	0.9	25	835	817	800	356	341	326	0.0	-2.4	5	0.161
	RC45AP8	27687	230	Flat Nose Enclosed Base	2 ½	0.9	25	835	817	800	356	341	326	0.0	-2.4	5	0.161
45 GAP	L45GAP4	23691	230	Full Metal Jacket	2 ½	0.9	25	880	860	841	395	378	361	0.0	-2.0	5	0.162

‡ Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. *Test Barrel Length ** Vented Barrel Ballistics

- GOLDEN SABER BONDED (Page 69)
- REMINGTON RANGE (Page 75)
- UMC (Page 77)
- GOLDEN SABER DEFENSE (Page 70)
- SUBSONIC HANDGUN (Page 74)
- CORE-LOKT HANDGUN (Page 67)
- GOLDEN SABER DEFENSE COMPACT (Page 70)
- PERFORMANCE WHEELGUN (Page 76)
- UMC LEADLESS (Page 78)
- HTP (Page 71)
- RANGE CLEAN (Page 73)





IRIS

Remington®

40-X, AccuTip, AccuTip MZ, Brite Bore, Buckhammer, Copper-Lokt, Core-Lokt, CoT, 22 Cyclone, Duplex, Express, Golden, Golden Saber, Gun Club, Hi-Speed, HTP, HyperSonic Steel, Managed-Recoil, Moistureguard, Nitro 27, Nitro Magnum, Nitro Pheasant, Nitro-Steel, Nitro Turkey, Performance Wheelgun, Peter's, Power Piston, Premier, Range Clean, Rem, Remington, Slugger, Sportsman, STS, Thunderbolt, Ultimate Defense, Ultra Mag, UMC, Viper, Wingmaster, Yellow Jacket, and Xcelerator are trademarks of Ammunition Operations LLC DBA Remington Ammunition and its affiliates. Speer and Impact are trademarks of Speer Ammunition and affiliates. HEVI-BISMUTH is a trademark of Hevi-Shot and its affiliates. SECURAM, Uni-Weld, and Triple Seal are trademarks of SA Consumer Products, Inc. Catalyst is a trademark of Federal Cartridge Company. Scirocco is a trademark of Swift Bullet Company. Hodgdon and Triple Seven are trademarks of Hodgdon Powder Company. Rossi is trademark of AMADEO ROSSI S.A. Henry is a trademark of Henry Repeating Arms Company. Magnum Research is a trademark of Kahr Firearms Group. Traditions is a trademark of Traditions Performance Firearms.

All trademarks, service marks, trade dress, product names and logos appearing in this catalog are the property of their respective owners. No trademark or service mark appearing in this catalog may be used without the prior written consent of the mark's owner. Technical specifications may be altered without notice.

